



**ZTFM<sup>®</sup>**  
**正拓阀门<sup>®</sup>**

**重要事项 /**

- 1.图示尺寸与实物尺寸可能略有差异，本公司有权修改或取代上述产品，恕不另行通知。
- 2.有关工程项目的具体尺寸数据请与本厂联系确认。
- 3.由于印刷关系，正式产品的颜色与所示的图片有部分差异，一切产品以实物为准。



**正拓阀门有限公司**  
ZHENG TUO VALVE CO., LTD.

地址：温州市龙湾区永中街道度山路178号  
Add: No.178, Dushan Road, Yongzhong Street, Longwan District,  
Wenzhou City, Zhejiang, China

电话(Tel): 0577-86913387 86885400 86921137 86921136  
传真(Fax): 0577-86913377 邮编(P.C): 325024  
Http: //www.ztovalve.com  
E-mail: zhengtuo@ztovalve.com



扫一扫  
了解更多详情.....

采用生态纸印刷 Adopt Ecological Paper To Print  
© 正拓企业(ZHENG TUO ENTERPRISE)版权所有 策划设计: PEACE ADVERTISING Tel: 0577-86858181 13957700307

**正<sup>®</sup>** **正拓阀门<sup>®</sup>**  
ZHENG TUO VALVE  
**ZTFM<sup>®</sup>**



**专业阀门·管件生产制造**  
诚信企业 与您相伴 共创美好的未来

**正拓阀门有限公司**  
ZHENG TUO VALVE CO., LTD.



正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
● ● ● ● ● ● ● ●

# ABOUT US

## 关于我们



Zhengtuo Valve Co., LTD. (hereinafter referred to as "Zhengtuo") is a professional R & D manufacturer of complete sets of valves under strict working conditions such as flange and thread, as well as a comprehensive service provider of valves in the whole field. Headquartered in Wenzhou is Longwan District. Zhengtuo has been engaged in the valve industry for many years, with a registered capital of 51.88 million yuan. The company focuses on improving the manufacturing capacity and innovation ability of special valves under harsh working conditions, and is committed to providing customers with a set of fluid control solutions. It is a large-scale valve enterprise integrating scientific research and development, test and testing, manufacturing and sales.

The company's products are mainly 6 categories, more than 500 specifications. On the basis of conventional valves, the company has developed more than ten kinds of special valve products, such as special products. It is widely used in extremely strict working conditions, including high temperature up to 1000° C, high pressure 2500LB, ultra-low temperature -196° C, high particles (such as mining, coal chemical industry, chemical agent and other particle transportation occasions). Main materials: carbon steel, forged steel, stainless steel, chrome-molybdenum steel, low temperature steel, duplex steel, Hastelloy C, Monel, etc. Products widely cover water, chemical, coal chemical, power plant, metallurgy, heat, paper, water conservancy, municipal building, fire and other industries.

# 2000+

超过2000次服务经验

# 800+

800多个客户与案例

# 20+

20余种专利和证书

了解更多 →



营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
● ● ● ● ● ● ● ●

正拓阀门  
ZHENG TUO VALVE



正拓阀门有限公司(以下简称“正拓”),是法兰和螺纹等严苛工况成套阀门的专业研发制造商,也是全领域行业阀门综合性服务商。总部位于温州是龙湾区。正拓从事阀门行业多年,现注册资金5188万元,公司专注于提高苛刻工况环境下专用阀门的制造能力与创新能力,致力于为客户提供一整套流体控制解决方案,是一家集科研开发、试验检测、制造销售为一体的大型阀门企业。

公司产品主要为6大类,500多个规格品种。在常规阀类的基础上,公司研发特种产品等十几种特殊阀门产品。广泛应用于极其严苛的工况环境,其中应用环境高温可达1000°C,高压2500LB,超低温-196°C,高颗粒(如矿山,煤化工、化工化剂等颗粒输送场合)。主要材质:碳钢、锻钢、不锈钢、铬钼钢、低温钢、双相钢、哈氏C、蒙乃尔等。产品广泛覆盖水务、化工、煤化工、电厂、冶金、热力、造纸、水利、市政楼宇、消防等行业。

公司拥有完善的企业标准化管理体系以及现代化电子检测系统,运用ERP等系统对工厂进行管理。确保企业以专业化、自动化、规范化的管理模式进行生产。公司坚持以科技创新为企业发展先导,设立了阀门研发设计中心,三维模拟制造设计系统,特种阀门试验平台(高温阀门热态试验平台、低温阀门深冷试平台),并与兰州理工大学等科研单位进行长期研发合作,不断优化产品结构和性能,保证阀门研发生产的质量和速度。

公司先后荣获获得特种设备制造许可证证书、涉及饮用水卫生安全产品卫生许可证、SIL 3 产品安全认证、欧盟CE认证、两化融合管理体系认证,ISO国际质量、环境、职业健康、AAA信用企业证书、重合同守信用企业等30多个证书。正拓阀门有限公司系中国阀门城龙湾阀门协会副会长单位。

同时为中石化、中石油、五大电力集团、首钢、鞍钢、中铁、华陆以及各省市水利水务集团、热力集团等大型企业集团的合格供应商。公司积极参与国家倡导的一带一路经济建设,产品远销欧美、中东、东南亚、非洲等十几个国家和地区。优质的产品、快捷的售后服务赢得广大海内外客户的赞誉和信赖。公司坚持“以质量求生存、以信誉求发展、以科技求创新”的经营理念,诚信务实、敢于超前,力求把公司建设成为具有“正拓”特色的现代化工业型企业。

正拓诚邀广大用户携手合作,互利双赢,共创辉煌!

The company has a perfect enterprise standardized management system and modern electronic testing system, the use of ERP and other systems for factory management. Ensure that the enterprise in a professional, automated, standardized management mode for production. Companies adhere to scientific and technological innovation for enterprise development, set up valve research and development design center, three-dimensional simulation of manufacturing system design, special valve test platform (high temperature valves, cryogenic valves, cryogenic thermal state test platform test platform), and compared with lanzhou university of technology and other scientific research units research and development of long-term cooperation, constantly optimize the product structure and performance, ensure the quality and speed of the valves research and development production.

The company has been awarded more than 30 certificates, such as special equipment manufacturing license certificate, Hygiene license for drinking water sanitation and safety products, SIL 3 product safety certification, European CE certification, two integrated management system certification, ISO international quality, environment, occupational health, AAA credit enterprise certificate, contract honoring and credit keeping enterprise, etc. Zhengtuo Valve Co., Ltd. is the vice president of Longwan Valve Association of China valve City.

At the same time for Sinopec, petrochina, five power groups, Shougang, Anshan Iron and Steel, China Railway, Hualu and other provinces and cities water resources group, heat group and other large enterprise groups qualified suppliers. The company actively participates in the Belt and Road economic construction advocated by the country, and its products are exported to more than a dozen countries and regions such as Europe, America, the Middle East, Southeast Asia and Africa. High quality products, quick after-sales service to win the majority of customers at home and abroad praise and trust. The company adheres to the business philosophy of "survival by quality, development by reputation, innovation by science and technology", honesty and pragmatism, dare to advance, and strive to build the company into a modern industrial enterprise with "Zhengtuo" characteristics.

Zhengtuo sincerely invites the vast number of users to work together, mutual benefit and win-win, create brilliant!





正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●



营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●

正拓阀门  
ZHENG TUO VALVE





阀门  
应用领域

石油装置用阀门 | 水电站应用阀门 | 冶金应用阀门 | 海洋应用阀门 | 食品医药应用阀门  
建筑应用阀门 | 城市供热用阀门 | 环保应用阀门 | 燃气应用阀门 | 管线应用阀门

合作·共赢·创新·发展  
Win win cooperation, innovation and development

## 生产设备 | Equipment







正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

正拓阀门  
ZHENG TUO VALVE



# TECHNOLOGY & RESEARCH

## 技术研发

为用户提供高品质产品是我们一直的目标

**TO PROVIDE USERS WITH HIGH-QUALITY  
PRODUCTS IS OUR GOAL**

我们希望通过我们完善的设计、研发和售后服务确保每一台产品在有效使用期内充分发挥各项设计性能指标。运用崭新的管理概念及强大的专业技术力量，生产出符合国际标准的高品质终极产品。

We are desirous of that all products can exert their performances in effective life by our perfect design, manufacture and service. Make sure of completely new managing concept and strong professional technology force to produce high quality products that confirm with international standard.







正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

正拓阀门  
ZHENG TUO VALVE



# QUALITY OF THE SITE

## 品质现场

完美的品质 取源于制造手段的先进

### PERFECT QUALITY IS ORIGINATED FROM ADVANCED MANUFACTURING MEANS

严谨、务实、永不松懈的工作作风，植根于正拓的每一道生产工序之中。检验员高度负责的心态溶于每一个部件中，加上最先进的检测设备和严格的科学化管理，使每一个生产的成品经得起顾客的精心挑选。正拓人庄严承诺让生产的每一个产品都得100分。



Rigorous, pragmatic, never slack work style, rooted in zhengtuo 's every production processes. Inspector highly responsible attitudeSoluble in each component, plus the most advanced testing equipment and strict scientific management, to make every products standCustomer selected. we are commitment to perfect and excellent.





正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

# QUALITY ASSURANCE

## 质量保障

精益求精 品质先行

KEEP IMPROVING WITH QUALITY RANKING TH FIRST



营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

正拓阀门  
ZHENG TUO VALVE



公司拥有先进的设备及检验仪器，精良的工艺以及严格完善的质量管理体系，并具有专业技术精英和领先的科技队伍，充分利用新技术、新工艺、新材料保证产品的稳定性和可靠性。产品质量取源于制造手段的先进、精品意识源于不断的创新。不管世界如何变化，正拓人精益求精的执着精神不变。

The rigorous, practical and unremitting working attitude governs every production procedure in ZHENG TUO. All our inspectors take high responsibility on every component. Plus, the most advanced testing facilities and strict scientific management make every product a fine choice for our customers. People of ZHENG TUO solemnly promise that all of products are completely qualified.







正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●

正拓阀门  
ZHENG TUO VALVE



# ZHENG TUO TEAM

## 正拓团队


销售团队协作 缔造完美品质

SALES TEAM COOPERATION TO CREATE PERFECT QUALITY

架构精密、分工精细，合作精诚，为正拓的每一次飞跃奠定了量的基础。科学而有效的管理。果断而及时的决策，全面而及时的信息反馈，使正拓永远赢得市场先机。运筹帷幄之中，决胜于千里之外，成功跨越一道道门槛。精华的沉淀，沉稳的面对，让正拓乘风破浪，扬帆远航。

“永不自满，精益求精，追求卓越”已成为正拓全体职员共同的心声。

Precise framework, meticulous labor division and sincere cooperation, Have laid a solid foundation for ZHENG TUO severy leap. Scientific and effective management, firm and timely decision-making, all-round and fresh information feedback, have made ZHENG TUO win market opportunity in advance. Work out splendid plans to win Victories in battles a thousand miles away, and smoothly leap over each doorsill with sediment of essence and cool-minded attitude to work, ZHENG TUO will plow the waves. "Ever to beself-contented, keeping improving" seeking for brilliance has become a common wish of ZHENG TUO staff.



总经理：王 建 坡







正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.

正拓阀门  
ZHENG TUO VALVE



# QUALIFICATION

## 企业资质








产品目录 | CONTENTS




KF-Series  
SRE-KF/series

Page.01/14




ISO-Series  
SRE-ISO/series

Page.15/28



CF- Series  
SRE-CF/series

Page.29/42




波纹管部分  
Sylphon bellows

Page.43/50



管件、支架部分  
Pipe fitting、 Bracket series

Page.51/66



转换法兰部分  
Transfer flange part series

Page.67/85



阀门部分  
Valve series

Page.86/129





正拓阀门  
ZHENG TUO VALVE

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

# KF FLANGE SERIES

## 法兰系列

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
.....

正拓阀门  
ZHENG TUO VALVE



## 卫生级304不锈钢

### 苛刻选材，安全放心使用密封头

选用密封用304不锈钢，耐用不生锈且不含锰等对人体有害的重金属  
产品表面处理采用人工镜面抛光工艺，品质升级，美观且实用。


合作·共赢·创新·发展  
Win win cooperation, innovation and development





KF | 真空卡箍

KF Vacuum clamp




材料：304,Aluminum

| 规格    | 材质       | A   | B    | C  | 产品编号          |
|-------|----------|-----|------|----|---------------|
| KF10C | Aluminum | 63  | 42.5 | 16 | 21110101-0010 |
| KF16C |          | 63  | 42.5 | 16 | 21110201-0016 |
| KF25C |          | 72  | 54   | 16 | 21110301-0025 |
| KF40C |          | 90  | 70   | 16 | 21110401-0040 |
| KF50C |          | 114 | 90   | 20 | 21110501-0050 |
| KF10C | 304      | 63  | 42.5 | 16 | 21110103-0010 |
| KF16C |          | 63  | 42.5 | 16 | 21110203-0016 |
| KF25C |          | 72  | 54   | 16 | 21110303-0025 |
| KF40C |          | 90  | 70   | 16 | 21110403-0040 |
| KF50C |          | 114 | 90   | 20 | 21110503-0050 |

KF | 单边铝卡扣

KF Single side aluminum clasp




材料：Aluminum

| 规格     | A  | B  | C  | 使用数量 | 产品编号          |
|--------|----|----|----|------|---------------|
| KF10CA | 15 | 20 | 43 | 3    | 21120101-0010 |
| KF16CA | 15 | 20 | 43 | 3    | 21120201-0016 |
| KF25CA | 15 | 20 | 53 | 4    | 21120301-0025 |
| KF40CA | 15 | 20 | 68 | 4    | 21120401-0040 |
| KF50CA | 15 | 20 | 88 | 6    | 21120501-0050 |

KF | 真空压箍

KF Vacuum clamp



材料：Aluminum,304

| 规格      | A    | B    | C   | N | 产品编号          |
|---------|------|------|-----|---|---------------|
| KF10BCA | 50.8 | 9.2  | 4.3 | 6 | 21130101-0010 |
| KF16BCA | 50.8 | 9.2  | 5.3 | 6 | 21130201-0016 |
| KF25BCA | 60.3 | 9.9  | 5.3 | 6 | 21130301-0025 |
| KF40BCA | 74.6 | 9.3  | 5.3 | 6 | 21130401-0040 |
| KF50BCA | 95.2 | 10.3 | 5.3 | 8 | 21130501-0050 |

KF | 多段卡箍

KF Multi stage clamp




材料：304

| 规格      | 段数 | 适用法兰  | 产品编号          |
|---------|----|-------|---------------|
| KF63CS  | 2  | Kf63  | 21140101-0063 |
| KF80CS  | 3  | KF80  | 21140201-0080 |
| KF100CS | 3  | KF100 | 21140301-0100 |
| KF160CS | 3  | KF160 | 21140401-0160 |
| KF200CS | 3  | Kf200 | 21140501-0200 |



KF | 链式卡箍小

KF Small chain clamp




材料：Al+304

| 规格     | A  | D   | T  | 产品编号          |
|--------|----|-----|----|---------------|
| KF10CC | 22 | 60  | 20 | 21150100-0010 |
| KF16CC | 22 | 60  | 20 | 21150200-0016 |
| KF25CC | 32 | 70  | 20 | 21150300-0025 |
| KF40CC | 47 | 85  | 20 | 21150400-0040 |
| KF50CC | 67 | 105 | 20 | 21150500-0050 |
| KF63CC | 79 | 120 | 20 | 21150500-0063 |

KF | 链式卡箍大

KF Large chain clamp




材料：Al+304

| 规格      | A   | B   | C  | 产品编号          |
|---------|-----|-----|----|---------------|
| KF80CC  | 165 | 100 | 37 | 21160101-0080 |
| KF100CC | 185 | 122 | 37 | 21160201-0100 |
| KF125CC | 210 | 150 | 37 | 21160301-0125 |
| KF160CC | 235 | 174 | 37 | 21160401-0160 |
| KF200CC | 300 | 239 | 37 | 21160501-0200 |
| KF250CC | 350 | 288 | 37 | 21160501-0250 |

KF | 真空盲板

KF Vacuum blind plate




材料:304,304L,316L,Aluminum

| 规格      | A   | B    | C  | D   | 产品编号          |
|---------|-----|------|----|-----|---------------|
| KF10BS  | 30  | 12.2 | 5  | 2.5 | 21170103-0010 |
| KF16BS  | 30  | 17.2 | 5  | 2.5 | 21170203-0016 |
| KF25BS  | 40  | 26.2 | 5  | 2.5 | 21170303-0025 |
| KF40BS  | 55  | 41.2 | 5  | 2.5 | 21170403-0040 |
| KF50BS  | 75  | 52.2 | 5  | 2.5 | 21170503-0050 |
| KF63BS  | 87  | 70   | 5  | 2.5 | 21170603-0063 |
| KF80BS  | 114 | 83   | 12 | 4.5 | 21170703-0080 |
| KF100BS | 134 | 102  | 12 | 4.5 | 21170803-0100 |
| KF125BS | 161 | 127  | 12 | 4.5 | 21170903-0125 |
| KF160BS | 190 | 153  | 12 | 4.5 | 21171003-0160 |
| KF200BS | 252 | 213  | 12 | 4.5 | 21171103-0200 |



KF | 真空焊接片

KF Vacuum welding piece




材料：304,304L,316L

| 规格        | A   | B    | C     | D  | E   | 产品编号          |
|-----------|-----|------|-------|----|-----|---------------|
| KF10B12   | 30  | 12.2 | 12.9  | 5  | 2.5 | 21180103-0010 |
| KF16B19   | 30  | 17.2 | 19.3  | 5  | 2.5 | 21180203-0016 |
| KF25B25   | 40  | 26.2 | 25.7  | 5  | 2.5 | 21180303-0025 |
| KF40B38   | 55  | 41.2 | 38.4  | 5  | 2.5 | 21180403-0040 |
| KF50B51   | 75  | 52.2 | 51    | 5  | 2.5 | 21180503-0050 |
| KF63B63   | 87  | 70   | 63.7  | 5  | 2.5 | 21180603-0063 |
| KF80B76   | 114 | 83   | 76.4  | 12 | 4.5 | 21180703-0080 |
| KF100B102 | 134 | 102  | 101.8 | 12 | 4.5 | 21180803-0100 |
| KF125B127 | 161 | 127  | 127.2 | 12 | 4.5 | 21180903-0125 |
| KF160B153 | 190 | 153  | 152.9 | 12 | 4.5 | 21181003-0160 |
| KF200B204 | 252 | 213  | 204.3 | 12 | 4.5 | 21181103-0200 |

KF | 真空短套焊

KF Vacuum short sleeve welding




材料：304,304L,316L

| 规格       | A   | B    | C     | D    | E    | F   | 产品编号          |
|----------|-----|------|-------|------|------|-----|---------------|
| KF10WSS  | 30  | 12.2 | 12.9  | 13   | 6.35 | 2.5 | 21190103-0010 |
| KF16WSS  | 30  | 17.2 | 19.3  | 19.3 | 6.35 | 2.5 | 21190203-0016 |
| KF25WSS  | 40  | 26.2 | 25.7  | 28   | 6.35 | 2.5 | 21190303-0025 |
| KF40WSS  | 55  | 41.2 | 38.4  | 45   | 6.35 | 2.5 | 21190403-0040 |
| KF50WSS  | 75  | 52.2 | 51    | 57   | 6.35 | 2.5 | 21190503-0050 |
| KF63WSS  | 87  | 70   | 63.7  | 67.5 | 6.35 | 2.5 | 21190603-0063 |
| KF80WSS  | 114 | 83   | 76.4  | 89   | 12.7 | 4.5 | 21190703-0080 |
| KF100WSS | 134 | 102  | 101.8 | 108  | 12.7 | 4.5 | 21190803-0100 |
| KF125WSS | 161 | 127  | 127.2 | 134  | 12.7 | 4.5 | 21190903-0125 |
| KF160WSS | 190 | 153  | 152.9 | 165  | 12.7 | 4.5 | 21191003-0160 |
| KF200WSS | 252 | 213  | 204.3 | 219  | 12.7 | 4.5 | 21191103-0200 |



KF | 真空长套焊

KF Vacuum long sleeve welding




材料：304,304L,316L

| 规格      | A   | B    | C     | D    | E    | F   | 产品编号          |
|---------|-----|------|-------|------|------|-----|---------------|
| KF10WS  | 30  | 12.2 | 12.9  | 13   | 12.7 | 2.5 | 21200103-0010 |
| KF16WS  | 30  | 17.2 | 19.3  | 19.3 | 12.7 | 2.5 | 21200203-0016 |
| KF25WS  | 40  | 26.2 | 25.7  | 28   | 12.7 | 2.5 | 21200303-0025 |
| KF40WS  | 55  | 41.2 | 38.4  | 45   | 12.7 | 2.5 | 21200403-0040 |
| KF50WS  | 75  | 52.2 | 51    | 57   | 12.7 | 2.5 | 21200503-0050 |
| KF63WS  | 87  | 70   | 63.7  | 67.5 | 12.7 | 2.5 | 21200603-0063 |
| KF80WS  | 114 | 83   | 76.4  | 89   | 20   | 4.5 | 21200703-0080 |
| KF100WS | 134 | 102  | 101.8 | 108  | 20   | 4.5 | 21200803-0100 |
| KF125WS | 161 | 127  | 127.2 | 134  | 20   | 4.5 | 21200903-0125 |
| KF160WS | 190 | 153  | 152.9 | 165  | 20   | 4.5 | 21201003-0160 |
| KF200WS | 252 | 213  | 204.3 | 219  | 20   | 4.5 | 21201103-0200 |

KF | 真空接头(20)

KF Vacuum connector (20)




材料：304,304L,316L

| 规格      | 标准 | A  | B    | C     | D  | 产品编号          |
|---------|----|----|------|-------|----|---------------|
| KF10HNA | 美标 | 30 | 12.2 | 12.7  | 20 | 21210103-0010 |
| KF16HNA | 美标 | 30 | 17.2 | 19.05 | 20 | 21210203-0016 |
| KF25HNA | 美标 | 40 | 26.2 | 25.4  | 20 | 21210303-0025 |
| KF40HNA | 美标 | 55 | 41.2 | 38.1  | 20 | 21210403-0040 |
| KF50HNA | 美标 | 75 | 52.2 | 50.8  | 20 | 21210503-0050 |
| KF10HNE | 欧标 | 30 | 12.2 | 14    | 20 | 21220103-0010 |
| KF16HNE | 欧标 | 30 | 17.2 | 20    | 20 | 21220203-0016 |
| KF25HNE | 欧标 | 40 | 26.2 | 28    | 20 | 21220303-0025 |
| KF40HNE | 欧标 | 55 | 41.2 | 45    | 20 | 21220403-0040 |
| KF50HNE | 欧标 | 75 | 52.2 | 57    | 20 | 21220503-0050 |
| KF25HNJ | 日标 | 40 | 26.2 | 27.2  | 20 | 21230303-0025 |
| KF40HNJ | 日标 | 55 | 41.2 | 42.7  | 20 | 21230403-0040 |
| KF50HNJ | 日标 | 75 | 52.2 | 60.5  | 20 | 21230503-0050 |



KF | 真空接头(30)

KF Vacuum connector (30)




材料：304,304L,316L

| 规格      | 标准 | A  | B    | C     | D  | 产品编号          |
|---------|----|----|------|-------|----|---------------|
| KF10HNA | 美标 | 30 | 12.2 | 12.7  | 30 | 21240103-0010 |
| KF16HNA | 美标 | 30 | 17.2 | 19.05 | 30 | 21240203-0016 |
| KF25HNA | 美标 | 40 | 26.2 | 25.4  | 30 | 21240303-0025 |
| KF40HNA | 美标 | 55 | 41.2 | 38.1  | 30 | 21240403-0040 |
| KF50HNA | 美标 | 75 | 52.2 | 50.8  | 30 | 21240503-0050 |
| KF10HNE | 欧标 | 30 | 12.2 | 14    | 30 | 21250103-0010 |
| KF16HNE | 欧标 | 30 | 17.2 | 20    | 30 | 21250203-0016 |
| KF25HNE | 欧标 | 40 | 26.2 | 28    | 30 | 21250303-0025 |
| KF40HNE | 欧标 | 55 | 41.2 | 45    | 30 | 21250403-0040 |
| KF50HNE | 欧标 | 75 | 52.2 | 57    | 30 | 21250503-0050 |
| KF25HNJ | 日标 | 40 | 26.2 | 27.2  | 30 | 21260303-0025 |
| KF40HNJ | 日标 | 55 | 41.2 | 42.7  | 30 | 21260403-0040 |
| KF50HNJ | 日标 | 75 | 52.2 | 60.5  | 30 | 21260503-0050 |

KF | 真空接头(40)

Vacuum connector (40)




材料：304,304L,316L

| 规格      | 标准 | A  | B    | C     | D  | 产品编号          |
|---------|----|----|------|-------|----|---------------|
| KF10HNA | 美标 | 30 | 12.2 | 12.7  | 40 | 21270103-0010 |
| KF16HNA | 美标 | 30 | 17.2 | 19.05 | 40 | 21270203-0016 |
| KF25HNA | 美标 | 40 | 26.2 | 25.4  | 40 | 21270303-0025 |
| KF40HNA | 美标 | 55 | 41.2 | 38.1  | 40 | 21270403-0040 |
| KF50HNA | 美标 | 75 | 52.2 | 50.8  | 40 | 21270503-0050 |
| KF10HNE | 欧标 | 30 | 12.2 | 14    | 40 | 21280103-0010 |
| KF16HNE | 欧标 | 30 | 17.2 | 20    | 40 | 21280203-0016 |
| KF25HNE | 欧标 | 40 | 26.2 | 28    | 40 | 21280303-0025 |
| KF40HNE | 欧标 | 55 | 41.2 | 45    | 40 | 21280403-0040 |
| KF50HNE | 欧标 | 75 | 52.2 | 57    | 40 | 21280503-0050 |
| KF25HNJ | 日标 | 40 | 26.2 | 27.2  | 40 | 21290303-0025 |
| KF40HNJ | 日标 | 55 | 41.2 | 42.7  | 40 | 21290403-0040 |
| KF50HNJ | 日标 | 75 | 52.2 | 60.5  | 40 | 21290503-0050 |



KF | 真空接头(50)

KF Vacuum connector (50)




材料：304,304L,316L

| 规格      | 标准 | A  | B    | C     | D  | 产品编号          |
|---------|----|----|------|-------|----|---------------|
| KF10HNA | 美标 | 30 | 12.2 | 12.7  | 50 | 21300103-0010 |
| KF16HNA | 美标 | 30 | 17.2 | 19.05 | 50 | 21300203-0016 |
| KF25HNA | 美标 | 40 | 26.2 | 25.4  | 50 | 21300303-0025 |
| KF40HNA | 美标 | 55 | 41.2 | 38.1  | 50 | 21300403-0040 |
| KF50HNA | 美标 | 75 | 52.2 | 50.8  | 50 | 21300503-0050 |
| KF10HNE | 欧标 | 30 | 12.2 | 14    | 50 | 21310103-0010 |
| KF16HNE | 欧标 | 30 | 17.2 | 20    | 50 | 21310203-0016 |
| KF25HNE | 欧标 | 40 | 26.2 | 28    | 50 | 21310303-0025 |
| KF40HNE | 欧标 | 55 | 41.2 | 45    | 50 | 21310403-0040 |
| KF50HNE | 欧标 | 75 | 52.2 | 57    | 50 | 21310503-0050 |
| KF25HNJ | 日标 | 40 | 26.2 | 27.2  | 50 | 21320303-0025 |
| KF40HNJ | 日标 | 55 | 41.2 | 42.7  | 50 | 21320403-0040 |
| KF50HNJ | 日标 | 75 | 52.2 | 60.5  | 50 | 21320503-0050 |

KF | 真空接头(70)

KF Vacuum connector (70)



材料：304,304L,316L

| 规格      | 标准 | A  | B    | C     | D  | 产品编号          |
|---------|----|----|------|-------|----|---------------|
| KF10HNA | 美标 | 30 | 12.2 | 12.7  | 70 | 21330103-0010 |
| KF16HNA | 美标 | 30 | 17.2 | 19.05 | 70 | 21330203-0016 |
| KF25HNA | 美标 | 40 | 26.2 | 25.4  | 70 | 21330303-0025 |
| KF40HNA | 美标 | 55 | 41.2 | 38.1  | 70 | 21330403-0040 |
| KF50HNA | 美标 | 75 | 52.2 | 50.8  | 70 | 21330503-0050 |
| KF10HNE | 欧标 | 30 | 12.2 | 14    | 70 | 21340103-0010 |
| KF16HNE | 欧标 | 30 | 17.2 | 20    | 70 | 21340203-0016 |
| KF25HNE | 欧标 | 40 | 26.2 | 28    | 70 | 21340303-0025 |
| KF40HNE | 欧标 | 55 | 41.2 | 45    | 70 | 21340403-0040 |
| KF50HNE | 欧标 | 75 | 52.2 | 57    | 70 | 21340503-0050 |
| KF25HNJ | 日标 | 40 | 26.2 | 27.2  | 70 | 21350303-0025 |
| KF40HNJ | 日标 | 55 | 41.2 | 42.7  | 70 | 21350403-0040 |
| KF50HNJ | 日标 | 75 | 52.2 | 60.5  | 70 | 21350503-0050 |



# ISO FLANGE SERIES


## 法兰系列

ISO法兰和配管可用于从大气压到高真空，经常装拆的各种应用中。一般管子的直径超过50mm(2英寸)。如果使用氟橡胶O形圈，可以承受150℃烘烤。

ISO法兰常用的两种形式是ISO-K和ISO-F、ISO-K和ISO-F真空接头是大尺寸的真空接头，公称直径尺寸包括：DN 63, 100, 160, 200, 250, 320, 400, 500 和630制造标准包括：DIN 28404，ISO 1609可应用在要求真空度高达10-8 mbar的场合。  
法兰密封材料通常为Viton、Buna、Silicone、EPDM、铝丝等；法兰通常为304、316不锈钢等


ISO flanges and piping can be used in a wide range of applications, from atmospheric pressure to high vacuum, frequently assembled and disassembled. Generally, the diameter of the pipe is more than 50 mm (2 inches). If fluororubber O-ring is used, it can withstand 150 °C baking.  
The two common forms of ISO flange are iso-k and iso-f, iso-k and iso-f. the vacuum joint is a large-size vacuum joint. The nominal diameter dimensions include DN 63, 100, 160, 200, 250, 320, 400, 500 and 630. The manufacturing standards include DIN 28404 and ISO 1609, which can be applied to the situation where the true space is up to 10-8 mbar. Flange sealing material is usually Viton, Buna, silicon, EPDM, aluminum wire, etc.; flange is usually 304, 316 stainless steel, etc





材料：304、304L、316L


| 规格      | A   | B   | C   | D  | 产品编号          |
|---------|-----|-----|-----|----|---------------|
| ISO63B  | 95  | 70  | 90  | 12 | 31110103-0063 |
| ISO80B  | 110 | 83  | 105 | 12 | 31110203-0080 |
| ISO100B | 130 | 102 | 125 | 12 | 31110303-0100 |
| ISO125B | 155 | 127 | 150 | 12 | 31110403-0125 |
| ISO160B | 180 | 153 | 175 | 12 | 31110503-0160 |
| ISO200B | 240 | 213 | 235 | 12 | 31110603-0200 |
| ISO250B | 290 | 261 | 285 | 12 | 31110703-0250 |
| ISO320B | 370 | 318 | 365 | 17 | 31110803-0320 |
| ISO400B | 450 | 400 | 445 | 17 | 31110903-0400 |
| ISO500B | 550 | 501 | 545 | 17 | 31111003-0500 |
| ISO630B | 690 | 651 | 685 | 22 | 31111103-0630 |



材料：304、304L、316L


| 规格         | A   | B   | C     | D   | E  | 产品编号          |
|------------|-----|-----|-------|-----|----|---------------|
| ISO63B63   | 95  | 70  | 64    | 90  | 12 | 31120103-0063 |
| ISO63B76   | 95  | 70  | 76.7  | 90  | 12 | 31120203-0063 |
| ISO80B76   | 110 | 83  | 76.7  | 105 | 12 | 31120303-0080 |
| ISO80B89   | 110 | 83  | 89.5  | 105 | 12 | 31120403-0080 |
| ISO100B102 | 130 | 102 | 102.5 | 125 | 12 | 31120503-0100 |
| ISO100B108 | 130 | 102 | 108.6 | 125 | 12 | 31120603-0100 |
| ISO100B114 | 130 | 102 | 114.6 | 125 | 12 | 31120703-0100 |
| ISO125B127 | 155 | 127 | 127.6 | 150 | 12 | 31120803-0125 |
| ISO125B133 | 155 | 127 | 133.6 | 150 | 12 | 31120903-0125 |
| ISO160B152 | 180 | 153 | 153   | 175 | 12 | 31121003-0160 |
| ISO160B159 | 180 | 153 | 159.6 | 175 | 12 | 31121103-0160 |
| ISO160B165 | 180 | 153 | 165.7 | 175 | 12 | 31121203-0160 |
| ISO200B204 | 240 | 213 | 204.7 | 235 | 12 | 31121303-0200 |
| ISO200B219 | 240 | 213 | 219.7 | 235 | 12 | 31121403-0200 |
| ISO250B254 | 290 | 261 | 254.8 | 285 | 12 | 31121503-0250 |
| ISO250B273 | 290 | 261 | 274   | 285 | 12 | 31121603-0250 |
| ISO320B305 | 370 | 318 | 306   | 365 | 17 | 31121703-0320 |
| ISO400B407 | 450 | 400 | 408   | 445 | 17 | 31121803-0400 |
| ISO500B508 | 550 | 501 | 509   | 545 | 17 | 31121903-0500 |
| ISO630B610 | 690 | 651 | 612   | 685 | 22 | 31122003-0630 |






材料：304、304L、316L

| 规格       | A   | B   | C     | D  | E*NO  | P.C.D | 产品编号          |
|----------|-----|-----|-------|----|-------|-------|---------------|
| ISO63BF  | 130 | 70  | 63.7  | 12 | 9*4   | 110   | 31130103-0063 |
| ISO80BF  | 145 | 83  | 76.4  | 12 | 9*8   | 125   | 31130203-0080 |
| ISO100BF | 165 | 102 | 101.8 | 12 | 9*8   | 145   | 31130303-0100 |
| ISO125BF | 200 | 127 | 127.5 | 12 | 11*8  | 175   | 31130403-0125 |
| ISO160BF | 225 | 153 | 152.9 | 16 | 11*8  | 200   | 31130503-0160 |
| ISO200BF | 285 | 213 | 203.7 | 16 | 11*12 | 260   | 31130603-0200 |
| ISO250BF | 335 | 261 | 254.5 | 16 | 11*12 | 310   | 31130703-0250 |
| ISO320BF | 425 | 318 | 305.3 | 20 | 14*12 | 395   | 31130803-0320 |
| ISO400BF | 510 | 400 | 406.9 | 20 | 14*16 | 480   | 31130903-0400 |
| ISO500BF | 610 | 501 | 508.8 | 20 | 14*16 | 580   | 31131003-0500 |
| ISO630BF | 750 | 651 | 610.5 | 24 | 14*20 | 720   | 31131103-0630 |




材料：304、304L、316L

| 规格        | A   | B     | C   | D  | E*NO  | P.C.D | G1    | G2    | F   | 产品编号          |
|-----------|-----|-------|-----|----|-------|-------|-------|-------|-----|---------------|
| ISO63BFG  | 130 | 63.7  | 5.5 | 12 | 9*4   | 110   | 75    | 87.6  | 3.7 | 31140103-0063 |
| ISO80BFG  | 145 | 76.4  | 5.5 | 12 | 9*8   | 125   | 88.5  | 101.1 | 3.7 | 31140203-0080 |
| ISO100BFG | 165 | 101.8 | 5.5 | 12 | 9*8   | 145   | 107.5 | 120.1 | 3.7 | 31140303-0100 |
| ISO125BFG | 200 | 127.5 | 5.5 | 12 | 11*8  | 175   | 139   | 151.6 | 3.7 | 31140403-0125 |
| ISO160BFG | 225 | 152.9 | 8   | 16 | 11*8  | 200   | 160   | 172.6 | 3.7 | 31140503-0160 |
| ISO200BFG | 285 | 203.7 | 8   | 16 | 11*12 | 260   | 224   | 236.6 | 3.7 | 31140603-0200 |
| ISO250BFG | 335 | 254.5 | 8   | 16 | 11*12 | 310   | 266   | 278.6 | 3.7 | 31140703-0250 |
| ISO320BFG | 425 | 305.3 | 8   | 20 | 14*12 | 395   | 345   | 361   | 4.9 | 31140803-0320 |
| ISO400BFG | 510 | 406.9 | 8   | 20 | 14*16 | 480   | 420   | 436   | 4.9 | 31140903-0400 |
| ISO500BFG | 610 | 508.8 | 8   | 20 | 14*16 | 580   | 520   | 536   | 4.9 | 31141003-0500 |
| ISO630BFG | 750 | 610.5 | 10  | 24 | 14*20 | 720   | 670   | 686   | 4.9 | 31141103-0630 |



材料：304、304L、316L


| 规格        | A   | B   | C     | D  | E*NO   | P.C.D | 产品编号          |
|-----------|-----|-----|-------|----|--------|-------|---------------|
| ISO63BFT  | 130 | 70  | 63.7  | 12 | M8*4   | 110   | 31150103-0063 |
| ISO80BFT  | 145 | 83  | 76.4  | 12 | M8*8   | 125   | 31150203-0080 |
| ISO100BFT | 165 | 102 | 101.8 | 12 | M8*8   | 145   | 31150303-0100 |
| ISO125BFT | 200 | 127 | 127.5 | 12 | M10*8  | 175   | 31150403-0125 |
| ISO160BFT | 225 | 153 | 152.9 | 16 | M10*8  | 200   | 31150503-0160 |
| ISO200BFT | 285 | 213 | 203.7 | 16 | M10*12 | 260   | 31150603-0200 |
| ISO250BFT | 335 | 261 | 254.5 | 16 | M10*12 | 310   | 31150703-0250 |
| ISO320BFT | 425 | 318 | 305.3 | 20 | M12*12 | 395   | 31150803-0320 |
| ISO400BFT | 510 | 400 | 406.9 | 20 | M12*16 | 480   | 31150903-0400 |
| ISO500BFT | 610 | 501 | 508.8 | 20 | M12*16 | 580   | 31151003-0500 |
| ISO630BFT | 750 | 651 | 610.5 | 24 | M12*20 | 720   | 31151103-0630 |



材料：304、304L、316L


| 规格        | A   | B   | C  | D*NO  | P.C.D | 产品编号          |
|-----------|-----|-----|----|-------|-------|---------------|
| ISO63BFB  | 130 | 70  | 12 | 9*4   | 110   | 31160103-0063 |
| ISO80BFB  | 145 | 83  | 12 | 9*8   | 125   | 31160203-0080 |
| ISO100BFB | 165 | 102 | 12 | 9*8   | 145   | 31160303-0100 |
| ISO125BFB | 200 | 127 | 12 | 11*8  | 175   | 31160403-0125 |
| ISO160BFB | 225 | 153 | 16 | 11*8  | 200   | 31160503-0160 |
| ISO200BFB | 285 | 213 | 16 | 11*12 | 260   | 31160603-0200 |
| ISO250BFB | 335 | 261 | 16 | 11*12 | 310   | 31160703-0250 |
| ISO320BFB | 425 | 318 | 20 | 14*12 | 395   | 31160803-0320 |
| ISO400BFB | 510 | 400 | 20 | 14*16 | 480   | 31160903-0400 |
| ISO500BFB | 610 | 501 | 20 | 14*16 | 580   | 31161003-0500 |
| ISO630BFB | 750 | 651 | 24 | 14*20 | 720   | 31161103-0630 |






材料：304、304L、316L

| 规格        | A   | B     | C  | D*NO  | P.C.D | 产品编号          |
|-----------|-----|-------|----|-------|-------|---------------|
| ISO63RBR  | 130 | 98.5  | 12 | 9*4   | 110   | 31170103-0063 |
| ISO80RBR  | 145 | 113.5 | 12 | 9*8   | 125   | 31170203-0080 |
| ISO100RBR | 165 | 133.5 | 12 | 9*8   | 145   | 31170303-0100 |
| ISO125RBR | 200 | 160.7 | 12 | 11*8  | 175   | 31170403-0125 |
| ISO160RBR | 225 | 185.7 | 16 | 11*8  | 200   | 31170503-0160 |
| ISO200RBR | 285 | 245.7 | 16 | 11*12 | 260   | 31170603-0200 |
| ISO250RBR | 335 | 295.7 | 16 | 11*12 | 310   | 31170703-0250 |
| ISO320RBR | 425 | 375.8 | 20 | 14*12 | 395   | 31170803-0320 |
| ISO400RBR | 510 | 458.8 | 20 | 14*16 | 480   | 31170903-0400 |
| ISO500RBR | 610 | 558.8 | 20 | 14*16 | 580   | 31171003-0500 |
| ISO630RBR | 750 | 651   | 24 | 14*20 | 720   | 31171103-0630 |




材料：304、304L、316L

| 规格         | A    | B   | C     | D   | 产品编号          |
|------------|------|-----|-------|-----|---------------|
| ISO63B63   | 95   | 70  | 63.5  | 100 | 31180103-0063 |
| ISO80B76   | 110  | 83  | 76.2  | 100 | 31180203-0080 |
| ISO100B102 | 130  | 102 | 101.6 | 100 | 31180303-0100 |
| ISO125B127 | 155  | 127 | 127   | 100 | 31180403-0125 |
| ISO160B152 | 180  | 153 | 152.4 | 100 | 31180503-0160 |
| ISO200B204 | 240  | 213 | 203.2 | 100 | 31180603-0200 |
| ISO250B255 | 290  | 261 | 254   | 100 | 31180703-0250 |
| ISO320B305 | 370  | 318 | 304.8 | 100 | 31180803-0320 |
| ISO400B407 | 4550 | 400 | 406.8 | 100 | 31180903-0400 |
| ISO500B508 | 550  | 501 | 508   | 100 | 31181003-0500 |
| ISO630B610 | 690  | 651 | 609.6 | 100 | 31181103-0630 |



材料：碳钢镀锌，碳钢镀铬，304,316L

| 规格            | A   | B  | C  | 适用法兰   | 产品编号          |
|---------------|-----|----|----|--------|---------------|
| ISO63-100SWC  | M8  | 35 | 23 | ISO63  | 31190100-0008 |
|               |     |    |    | ISO80  |               |
|               |     |    |    | ISO100 |               |
| ISO160-250SWC | M10 | 35 | 23 | ISO160 | 31190200-0010 |
|               |     |    |    | ISO200 |               |
|               |     |    |    | ISO250 |               |
| ISO320-500SWC | M12 | 50 | 30 | ISO320 | 31190300-0012 |
|               |     |    |    | ISO400 |               |
|               |     |    |    | ISO500 |               |




材料：Aluminum

| 规格             | A   | B  | C    | 适用法兰   | 产品编号          |
|----------------|-----|----|------|--------|---------------|
| ISO63-100SWCA  | M8  | 35 | 23.5 | ISO63  | 3120100-0008  |
|                |     |    |      | ISO80  |               |
|                |     |    |      | ISO100 |               |
| ISO160-250SWCA | M10 | 35 | 23.5 | ISO160 | 31200200-0010 |
|                |     |    |      | ISO200 |               |
|                |     |    |      | ISO250 |               |
| ISO320-500SWCA | M12 | 50 | 30   | ISO320 | 31200300-0012 |
|                |     |    |      | ISO400 |               |
|                |     |    |      | ISO500 |               |



ISO 双边卡钳

ISO Double side calipers




材料：Aluminum

| 规格             | A   | B  | 使用数量 | 适用法兰   | 产品编号           |
|----------------|-----|----|------|--------|----------------|
| ISO63-100DWCA  | M8  | 45 | 4    | ISO63  | 31210100-0008  |
|                |     |    | 4    | ISO80  |                |
|                |     |    | 4    | ISO100 |                |
| ISO160-250DWCA | M10 | 45 | 6    | ISO160 | 31210200-0010  |
|                |     |    | 6    | ISO200 |                |
|                |     |    | 6    | ISO250 |                |
| ISO320-500DWCA | M12 | 60 | 8    | ISO320 | 312190300-0012 |
|                |     |    | 8    | ISO400 |                |
|                |     |    | 12   | ISO500 |                |

ISO 勾头螺栓

ISO Hook bolt



材料：碳钢镀锌，碳钢镀铬，304,316L

| 规格            | A   | B    | 使用数量 | 适用法兰   | 产品编号          |
|---------------|-----|------|------|--------|---------------|
| ISO63-250DCC  | M10 | 61.5 | 4    | ISO63  | 31220100-0008 |
|               |     |      | 4    | ISO80  |               |
|               |     |      | 4    | ISO100 |               |
|               |     |      | 4    | ISO160 |               |
|               |     |      | 6    | ISO200 |               |
|               |     |      | 6    | ISO250 |               |
| ISO320-500DCC | M12 | 76   | 8    | ISO320 | 31220200-0010 |
|               |     |      | 8    | ISO400 |               |
|               |     |      | 12   | ISO500 |               |
| ISO630DCC     | M12 | 86   | 12   | ISO630 | 31220300-0012 |

# CF FLANGE SERIES


## 法兰系列

CF法兰分为固定型和松套型两种。固定型法兰为一体化结构。松套型法兰由挤压铜垫圈的刀口部分和通过螺栓的固定部分构成。法兰上可开通孔或螺纹孔。开有通孔的法兰要通过螺栓和螺母固定;开有螺纹孔的法兰可直接使用螺栓固定。法兰的材质主要为SUS304(或 SUS304L), 因为SUS304放出气体少, 加工和焊接比较容易。

CF flange is divided into fixed type and loose sleeve type. The fixed flange is of integrated structure. The loose sleeve flange is composed of a knife edge part of an extruded copper washer and a fixed part through a bolt. Holes or threaded holes can be opened on the flange. The flange with through hole shall be fixed by bolt and nut; the flange with threaded hole can be fixed by bolt directly. The flange material is mainly SUS304 (or SUS304L), because SUS304 emits less gas and is easy to process and weld.









材料：304/304L/316/316L/316LN

| 规格     | A   | B    | C*No   | P.C.D | 产品编号          |
|--------|-----|------|--------|-------|---------------|
| CF16B  | 34  | 7.3  | 4.4*6  | 27    | 41110103-0016 |
| CF25B  | 54  | 10.5 | 6.6*6  | 43    | 41110203-0025 |
| CF35B  | 70  | 13   | 6.6*6  | 58.7  | 41110303-0035 |
| CF50B  | 86  | 16   | 8.4*8  | 72.4  | 41110403-0050 |
| CF63B  | 114 | 17.5 | 8.4*8  | 92.2  | 41110503-0063 |
| CF80B  | 130 | 18   | 8.4*16 | 110   | 41110603-0080 |
| CF100B | 152 | 20   | 8.4*16 | 130.3 | 41110703-0100 |
| CF160B | 202 | 22   | 8.4*20 | 181   | 41110803-0160 |
| CF200B | 253 | 24.5 | 8.4*24 | 231.8 | 41110903-0200 |
| CF250B | 305 | 26   | 8.4*32 | 284   | 41111003-0250 |




材料：304/304L/316/316L/316LN

| 规格      | A   | B    | C*No  | P.C.D | 产品编号          |
|---------|-----|------|-------|-------|---------------|
| CF16BT  | 34  | 7.3  | M4*6  | 27    | 41120103-0016 |
| CF25BT  | 54  | 10.5 | M6*6  | 43    | 41120203-0025 |
| CF35BT  | 70  | 13   | M6*6  | 58.7  | 41120303-0035 |
| CF50BT  | 86  | 16   | M8*8  | 72.4  | 41120403-0050 |
| CF63BT  | 114 | 17.5 | M8*8  | 92.2  | 41120503-0063 |
| CF80BT  | 130 | 18   | M8*16 | 110   | 41120603-0080 |
| CF100BT | 152 | 20   | M8*16 | 130.3 | 41120703-0100 |
| CF160BT | 202 | 22   | M8*20 | 181   | 41120803-0160 |
| CF200BT | 253 | 24.5 | M8*24 | 231.8 | 41120903-0200 |
| CF250BT | 305 | 26   | M8*32 | 284   | 41121003-0250 |



材料：304/304L/316/316L/316LN


| 规格        | A   | B     | C    | D*No   | P.C.D | 产品编号            |
|-----------|-----|-------|------|--------|-------|-----------------|
| CF16B19   | 34  | 19.2  | 7.3  | 4.4*6  | 27    | 41130103-1619   |
| CF25B25   | 54  | 25.6  | 10.5 | 6.6*6  | 43    | 41130203-2525   |
| CF25B28   | 54  | 28.2  | 10.5 | 6.6*6  | 43    | 41130303-2528   |
| CF35B25   | 70  | 25.6  | 13   | 6.6*6  | 58.7  | 41130403-3525   |
| CF35B38   | 70  | 38.3  | 13   | 6.6*6  | 58.7  | 41130503-3538   |
| CF35B45   | 70  | 45.2  | 13   | 6.6*6  | 58.7  | 41130603-3545   |
| CF50B51   | 86  | 51.1  | 16   | 8.4*8  | 72.4  | 41130703-5051   |
| CF63B63   | 114 | 63.7  | 17.5 | 8.4*8  | 92.2  | 41130803-6363   |
| CF80B76   | 130 | 76.2  | 18   | 8.4*16 | 110   | 41130903-8076   |
| CF100B102 | 152 | 101.8 | 20   | 8.4*16 | 130.3 | 41131003-100102 |
| CF160B153 | 202 | 153   | 22   | 8.4*20 | 181   | 41131103-160153 |
| CF200B204 | 253 | 204.5 | 24.5 | 8.4*24 | 231.8 | 41131203-200204 |
| CF250B254 | 305 | 254.6 | 26   | 8.4*32 | 284   | 41131303-250254 |



材料：304/304L/316/316L/316LN


| 规格         | A   | B     | C    | D*No  | P.C.D | 产品编号            |
|------------|-----|-------|------|-------|-------|-----------------|
| CF16B19T   | 34  | 19.2  | 7.3  | M4*6  | 27    | 41140103-1619   |
| CF25B25T   | 54  | 25.6  | 10.5 | M6*6  | 43    | 41140203-2525   |
| CF25B28T   | 54  | 28.2  | 10.5 | M6*6  | 43    | 41140303-2528   |
| CF35B25T   | 70  | 25.6  | 13   | M6*6  | 58.7  | 41140403-3525   |
| CF35B38T   | 70  | 38.3  | 13   | M6*6  | 58.7  | 41140503-3538   |
| CF35B45T   | 70  | 45.2  | 13   | M6*6  | 58.7  | 41140603-3545   |
| CF50B51T   | 86  | 51.1  | 16   | M8*8  | 72.4  | 41140703-5051   |
| CF63B63T   | 114 | 63.7  | 17.5 | M8*8  | 92.2  | 41140803-6363   |
| CF80B76T   | 130 | 76.2  | 18   | M8*16 | 110   | 41140903-8076   |
| CF100B102T | 152 | 101.8 | 20   | M8*16 | 130.3 | 41141003-100102 |
| CF160B153T | 202 | 153   | 22   | M8*20 | 181   | 41141103-160153 |
| CF200B204T | 253 | 204.5 | 24.5 | M8*24 | 231.8 | 41141203-200204 |
| CF250B254T | 305 | 254.6 | 26   | M8*32 | 284   | 41141303-250254 |






材料：304/304L/316/316L/316LN

| 规格     | A   | B    | C*No   | P.C.D | 产品编号          |
|--------|-----|------|--------|-------|---------------|
| CR16B  | 34  | 7.3  | 4.4*6  | 27    | 41150103-0016 |
| CR25B  | 54  | 10.5 | 6.6*6  | 43    | 41150203-0025 |
| CR35B  | 70  | 13   | 6.6*6  | 58.7  | 41150303-0035 |
| CR50B  | 86  | 16   | 8.4*8  | 72.4  | 41150403-0050 |
| CR63B  | 114 | 17.5 | 8.4*8  | 92.2  | 41150503-0063 |
| CR80B  | 130 | 18   | 8.4*16 | 110   | 41150603-0080 |
| CR100B | 152 | 20   | 8.4*16 | 130.3 | 41150703-0100 |
| CR160B | 202 | 22   | 8.4*20 | 181   | 41150803-0160 |
| CR200B | 253 | 24.5 | 8.4*24 | 231.8 | 41150903-0200 |
| CR250B | 305 | 26   | 8.4*32 | 284   | 41151003-0250 |




材料：304/304L/316/316L/316LN

| 规格      | A   | B    | C*No  | P.C.D | 产品编号          |
|---------|-----|------|-------|-------|---------------|
| CR16BT  | 34  | 7.3  | M4*6  | 27    | 41160103-0016 |
| CR25BT  | 54  | 10.5 | M6*6  | 43    | 41160203-0025 |
| CR35BT  | 70  | 13   | M6*6  | 58.7  | 41160303-0035 |
| CR50BT  | 86  | 16   | M8*8  | 72.4  | 41160403-0050 |
| CR63BT  | 114 | 17.5 | M8*8  | 92.2  | 41160503-0063 |
| CR80BT  | 130 | 18   | M8*16 | 110   | 41160603-0080 |
| CR100BT | 152 | 20   | M8*16 | 130.3 | 41160703-0100 |
| CR160BT | 202 | 22   | M8*20 | 181   | 41160803-0160 |
| CR200BT | 253 | 24.5 | M8*24 | 231.8 | 41160903-0200 |
| CR250BT | 305 | 26   | M8*32 | 284   | 41161003-0250 |



材料：304/304L/316/316L/316LN


| 规格        | A   | B     | C    | D*No   | P.C.D | 产品编号            |
|-----------|-----|-------|------|--------|-------|-----------------|
| CR16B19   | 34  | 19.2  | 7.3  | 4.4*6  | 27    | 41170103-1619   |
| CR25B25   | 54  | 25.6  | 10.5 | 6.6*6  | 43    | 41170203-2525   |
| CR25B28   | 54  | 28.2  | 10.5 | 6.6*6  | 43    | 41170303-2528   |
| CR35B25   | 70  | 25.6  | 13   | 6.6*6  | 58.7  | 41170403-3525   |
| CR35B38   | 70  | 38.3  | 13   | 6.6*6  | 58.7  | 41170503-3538   |
| CR35B45   | 70  | 45.2  | 13   | 6.6*6  | 58.7  | 41170603-3545   |
| CR50B51   | 86  | 51.1  | 16   | 8.4*8  | 72.4  | 41170703-5051   |
| CR63B63   | 114 | 63.7  | 17.5 | 8.4*8  | 92.2  | 41170803-6363   |
| CR80B76   | 130 | 76.2  | 18   | 8.4*16 | 110   | 41170903-8076   |
| CR100B102 | 152 | 101.8 | 20   | 8.4*16 | 130.3 | 41171003-100102 |
| CR160B153 | 202 | 153   | 22   | 8.4*20 | 181   | 41171103-160153 |
| CR200B204 | 253 | 204.5 | 24.5 | 8.4*24 | 231.8 | 41171203-200204 |
| CR250B254 | 305 | 254.6 | 26   | 8.4*32 | 284   | 41171303-250254 |



材料：304/304L/316/316L/316LN


| 规格         | A   | B     | C    | D*No  | P.C.D | 产品编号            |
|------------|-----|-------|------|-------|-------|-----------------|
| CR16B19T   | 34  | 19.2  | 7.3  | M4*6  | 27    | 41180103-1619   |
| CR25B25T   | 54  | 25.6  | 10.5 | M6*6  | 43    | 41180203-2525   |
| CR25B28T   | 54  | 28.2  | 10.5 | M6*6  | 43    | 41180303-2528   |
| CR35B25T   | 70  | 25.6  | 13   | M6*6  | 58.7  | 41180403-3525   |
| CR35B38T   | 70  | 38.3  | 13   | M6*6  | 58.7  | 41180503-3538   |
| CR35B45T   | 70  | 45.2  | 13   | M6*6  | 58.7  | 41180603-3545   |
| CR50B51T   | 86  | 51.1  | 16   | M8*8  | 72.4  | 41180703-5051   |
| CR63B63T   | 114 | 63.7  | 17.5 | M8*8  | 92.2  | 41180803-6363   |
| CR80B76T   | 130 | 76.2  | 18   | M8*16 | 110   | 41180903-8076   |
| CR100B102T | 152 | 101.8 | 20   | M8*16 | 130.3 | 41181003-100102 |
| CR160B153T | 202 | 153   | 22   | M8*20 | 181   | 41181103-160153 |
| CR200B204T | 253 | 204.5 | 24.5 | M8*24 | 231.8 | 41181203-200204 |
| CR250B254T | 305 | 254.6 | 26   | M8*32 | 284   | 41181303-250254 |






材料：304/304L/316/316L/316LN

| 规格         | A   | B   | C     | D     | E    | F*No   | G*No  | 产品编号            |
|------------|-----|-----|-------|-------|------|--------|-------|-----------------|
| CF25RF16   | 54  | 16  | 27    | 43    | 10.5 | 6.6*6  | M4*6  | 41190103-2516   |
| CF35RF16   | 70  | 16  | 27    | 58.7  | 13   | 6.6*6  | M6*6  | 41190203-3516   |
| CF35RF25   | 70  | 25  | 43    | 58.7  | 13   | 6.6*6  | M6*6  | 41190303-3525   |
| CF50RF16   | 86  | 16  | 27    | 86    | 16   | 8.4*8  | M6*6  | 41190403-5016   |
| CF50RF25   | 86  | 25  | 43    | 86    | 16   | 8.4*8  | M6*6  | 41190503-5025   |
| CF50RF35   | 86  | 35  | 58.7  | 86    | 16   | 8.4*8  | M6*6  | 41190603-5035   |
| CF63RF35   | 114 | 35  | 58.7  | 92.2  | 17.5 | 8.4*8  | M6*6  | 41190703-6335   |
| CF100RF35  | 152 | 35  | 58.7  | 130.3 | 20   | 8.4*16 | M6*6  | 41190803-10035  |
| CF100RF63  | 152 | 63  | 92.2  | 130.3 | 20   | 8.4*16 | M8*8  | 41190903-10063  |
| CF160RF35  | 202 | 35  | 58.7  | 181   | 22   | 8.4*20 | M6*6  | 41191003-16035  |
| CF160RF63  | 202 | 63  | 92.2  | 181   | 22   | 8.4*20 | M8*8  | 41191103-16063  |
| CF160RF100 | 202 | 100 | 130.3 | 181   | 22   | 8.4*20 | M8*16 | 41191203-160100 |
| CF200RF35  | 253 | 35  | 58.7  | 231.8 | 24.5 | 8.4*24 | M6*6  | 41191303-20035  |
| CF200RF63  | 253 | 63  | 92.2  | 231.8 | 24.5 | 8.4*24 | M8*8  | 41191403-20063  |
| CF200RF100 | 253 | 100 | 130.3 | 231.8 | 24.5 | 8.4*24 | M8*16 | 41191503-200100 |
| CF200RF160 | 253 | 160 | 181   | 231.8 | 24.5 | 8.4*24 | M8*20 | 41191603-200160 |
| CF250RF35  | 305 | 35  | 58.7  | 284   | 26   | 8.4*32 | M6*6  | 41191703-25035  |
| CF250RF63  | 305 | 63  | 92.2  | 284   | 26   | 8.4*32 | M8*8  | 41191803-25063  |
| CF250RF100 | 305 | 100 | 130.3 | 284   | 26   | 8.4*32 | M8*16 | 41191903-250100 |
| CF250RF160 | 305 | 160 | 181   | 284   | 26   | 8.4*32 | M8*20 | 41192003-250160 |
| CF250RF200 | 305 | 200 | 231.8 | 284   | 26   | 8.4*32 | M8*24 | 41192103-250200 |




材料：304/304L/316/316L/316LN

| 规格      | A   | B     | C   | 产品编号          |
|---------|-----|-------|-----|---------------|
| CF16HN  | 34  | 19.05 | 38  | 41200103-0016 |
| CF25HN  | 54  | 25.4  | 52  | 41200203-0025 |
| CF35HN  | 70  | 38.1  | 63  | 41200303-0035 |
| CF50HN  | 86  | 50.8  | 82  | 41200403-0050 |
| CF63HN  | 114 | 63.5  | 85  | 41200503-0063 |
| CF80HN  | 130 | 76.2  | 90  | 41200603-0080 |
| CF100HN | 152 | 101.6 | 110 | 41200703-0100 |
| CF160HN | 202 | 152.4 | 150 | 41200803-0160 |
| CF200HN | 253 | 204   | 200 | 41200903-0200 |
| CF250HN | 305 | 254   | 250 | 41201003-0250 |



材料：304/304L/316/316L/316LN

| 规格      | A   | B     | C   | 产品编号          |
|---------|-----|-------|-----|---------------|
| CR16HN  | 34  | 19.05 | 38  | 41210103-0016 |
| CR25HN  | 54  | 25.4  | 52  | 41210203-0025 |
| CR35HN  | 70  | 38.1  | 63  | 41210303-0035 |
| CR50HN  | 86  | 50.8  | 82  | 41210403-0050 |
| CR63HN  | 114 | 63.5  | 85  | 41210503-0063 |
| CR80HN  | 130 | 76.2  | 90  | 41210603-0080 |
| CR100HN | 152 | 101.6 | 110 | 41210703-0100 |
| CR160HN | 202 | 152.4 | 150 | 41210803-0160 |
| CR200HN | 253 | 204   | 200 | 41210903-0200 |
| CR250HN | 305 | 254   | 250 | 41211003-0250 |



材料：TU1 铜垫片另有加厚型2.2mm，及表面镀银等两款。

| 规格      | A     | B     | C | 产品编号          |
|---------|-------|-------|---|---------------|
| CF16CG  | 21.3  | 16.3  | 2 | 41220103-0016 |
| CF25CG  | 35    | 25.6  | 2 | 41220203-0025 |
| CF35CG  | 48.2  | 39    | 2 | 41220303-0035 |
| CF50CG  | 61.6  | 52    | 2 | 41220403-0050 |
| CF63CG  | 82.4  | 63.8  | 2 | 41220503-0063 |
| CF80CG  | 99    | 76.3  | 2 | 41220603-0080 |
| CF100CG | 120.5 | 102   | 2 | 41220703-0100 |
| CF160CG | 171.3 | 152.8 | 2 | 41220803-0160 |
| CF200CG | 222.1 | 203.6 | 2 | 41220903-0200 |
| CF250CG | 272.7 | 254   | 2 | 41221003-0250 |



# BELLOWS SERIES

## 波纹管系列




营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●

正拓阀门  
ZHENG TUO VALVE



### KF | 真空波纹管

KF Vacuum bellows




材料：304、316L

| 规格     | A  | B           | 产品编号          |
|--------|----|-------------|---------------|
| KF16FX | 30 | 10米以内均可随意指定 | 51110103-0016 |
| KF25FX | 40 |             | 51110203-0025 |
| KF40FX | 55 |             | 51110303-0040 |
| KF50FX | 75 |             | 51110403-0050 |

### ISO | 真空波纹管

ISO Vacuum bellows




材料：304、316L

| 规格       | A   | B           | 产品编号          |
|----------|-----|-------------|---------------|
| ISO63FX  | 95  | 10米以内均可随意指定 | 51120103-0063 |
| ISO80FX  | 110 |             | 51120203-0080 |
| ISO100FX | 130 |             | 51120303-0100 |
| ISO160FX | 180 |             | 51120403-0160 |
| ISO200FX | 240 |             | 51120503-0200 |
| ISO250FX | 290 |             | 51120603-0250 |

CF | 真空波纹管

CF Vacuum bellows




材料：304、316L

| 规格      | A   | B           | 产品编号          |
|---------|-----|-------------|---------------|
| CF16FX  | 34  | 10米以内均可随意指定 | 51130103-0016 |
| CF25FX  | 54  |             | 51130203-0025 |
| CF35FX  | 70  |             | 51130303-0035 |
| CF50FX  | 86  |             | 51130403-0050 |
| CF63FX  | 114 |             | 51130503-0063 |
| CF80FX  | 130 |             | 51130603-0080 |
| CF100FX | 152 |             | 51130703-0100 |
| CF160FX | 202 |             | 51130803-0160 |
| CF200FX | 253 |             | 51130903-0200 |
| CF250FX | 305 |             | 51131003-0250 |

KF | 可伸缩柔性波纹管

KF Flexible flexible bellows




材料：304、316L

| 规格     | A  | B          | 产品编号          |
|--------|----|------------|---------------|
| KF16FX | 30 | 3米以内均可随意指定 | 51140103-0016 |
| KF25FX | 40 |            | 51140203-0025 |
| KF40FX | 55 |            | 51140303-0040 |
| KF50FX | 75 |            | 51140403-0050 |

ISO | 可伸缩波纹管

ISO Expandable bellows




材料：304、316L

| 规格        | A   | B          | 产品编号          |
|-----------|-----|------------|---------------|
| ISO63FXC  | 95  | 3米以内均可随意指定 | 51150103-0063 |
| ISO80FXC  | 110 |            | 51150203-0080 |
| ISO100FXC | 130 |            | 51150303-0100 |
| ISO160FXC | 180 |            | 51150403-0160 |
| ISO200FXC | 240 |            | 51150503-0200 |
| ISO250FXC | 290 |            | 51150603-0250 |

CF | 可伸缩波纹管

CF Expandable bellows



材料：304、316L

| 规格       | A   | B          | 产品编号          |
|----------|-----|------------|---------------|
| CF16FXC  | 34  | 3米以内均可随意指定 | 51160103-0016 |
| CF25FXC  | 54  |            | 51160203-0025 |
| CF35FXC  | 70  |            | 51160303-0035 |
| CF50FXC  | 86  |            | 51160403-0050 |
| CF63FXC  | 114 |            | 51160503-0063 |
| CF80FXC  | 130 |            | 51160603-0080 |
| CF100FXC | 152 |            | 51160703-0100 |
| CF160FXC | 202 |            | 51160803-0160 |
| CF200FXC | 253 |            | 51160903-0200 |
| CF250FXC | 305 |            | 51161003-0250 |




# ISO|带孔法兰波纹管

ISO Flange bellows with holes



材料：304、316L




| 规格       | A   | B          | 产品编号          |
|----------|-----|------------|---------------|
| ISO16FX  | 60  | 3米以内均可随意指定 | 51170103-0016 |
| ISO25FX  | 70  |            | 51170203-0025 |
| ISO40FX  | 100 |            | 51170303-0035 |
| ISO50FX  | 110 |            | 51170403-0050 |
| ISO63FX  | 130 |            | 51170503-0063 |
| ISO80FX  | 145 |            | 51170603-0080 |
| ISO100FX | 165 |            | 51170703-0100 |
| ISO160FX | 225 |            | 51170803-0160 |
| ISO200FX | 285 |            | 51170903-0200 |

# KF|带编织网波纹管

KF Bellows with woven mesh




材料：304、316L



| 规格      | A  | B           | 产品编号          |
|---------|----|-------------|---------------|
| KF16FXB | 30 | 10米以内均可随意指定 | 51180103-0016 |
| KF25FXB | 40 |             | 51180203-0025 |
| KF40FXB | 55 |             | 51180303-0040 |
| KF50FXB | 75 |             | 51180403-0050 |

# ISO|带孔法兰带编织网波纹管

ISO Corrugated pipe with perforated flange and braided mesh




材料：304、316L

| 规格        | A   | B          | 产品编号          |
|-----------|-----|------------|---------------|
| ISOFFX16  | 60  | 3米以内均可随意指定 | 51190103-0040 |
| ISOFFX25  | 70  |            | 51190203-0050 |
| ISOFFX40  | 100 |            | 51190303-0063 |
| ISOFFX50  | 110 |            | 51190403-0080 |
| ISOFFX63  | 130 |            | 51190503-0100 |
| ISOFFX80  | 145 |            | 51190603-0160 |
| ISOFFX100 | 165 |            | 51190703-0200 |
| ISOFFX160 | 225 |            | 51190803-0250 |
| ISOFFX200 | 285 |            | 51190903-0320 |
| ISOFFX250 | 335 |            |               |
| ISOFFX320 | 425 |            |               |

卡套及VCR波纹管

Ferrule and VCR bellows




材料：304、316L

| 规格     | A    | B                    | 产品编号          |
|--------|------|----------------------|---------------|
| KT3FX  | 3    | 20米以内均可随意指定          | 51200103-0003 |
| KT4FX  | 4    |                      | 51200203-0004 |
| KT6FX  | 6    |                      | 51200303-0006 |
| KT8FX  | 8    |                      | 51200403-0008 |
| KT10FX | 10   | 可选配焊接卡套接头<br>或者VCR接头 | 51200503-0010 |
| KT12FX | 12   |                      | 51200603-0012 |
| KT03FX | 3.18 |                      | 51200703-0318 |
| KT06FX | 6.35 |                      | 51200803-0635 |
| KT09FX | 9.53 |                      | 51200903-0953 |
| KT12FX | 12.7 |                      | 51201003-0127 |

卡套及VCR带编织网波纹管

Ferrule and VCR braided net bellows



材料：304、316L

| 规格     | A    | B                    | 产品编号          |
|--------|------|----------------------|---------------|
| KT3FX  | 3    | 20米以内均可随意指定          | 51210103-0003 |
| KT4FX  | 4    |                      | 51210203-0004 |
| KT6FX  | 6    |                      | 51210303-0006 |
| KT8FX  | 8    |                      | 51210403-0008 |
| KT10FX | 10   | 可选配焊接卡套接头<br>或者VCR接头 | 51210503-0010 |
| KT12FX | 12   |                      | 51210603-0012 |
| KT03FX | 3.18 |                      | 51210703-0318 |
| KT06FX | 6.35 |                      | 51210803-0635 |
| KT09FX | 9.53 |                      | 51210903-0953 |
| KT12FX | 12.7 |                      | 51211003-0127 |

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.

正拓阀门  
ZHENG TUO VALVE





# PIPE FITTING SERIES


## 管件系列

本公司所生产的管接头,弯头,三通,大小头,  
从一开始原物料的取得,精密的加工及表面处理, 经过严格的品管,以达到客人要求.  
皆能通过食品卫生安全的标准,产品规格有SMS、3A、DIN、IDF、ISO等国际标准  
以符合客人在各种不同情况的需求。



大小头

Big and small head




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格        | A     | B     | C   | t    | 产品编号            |
|-----------|-------|-------|-----|------|-----------------|
| 25-16CR   | 25.4  | 19.05 | 35  | 1.65 | 61110103-2516   |
| 40-16CR   | 38.1  | 19.05 | 60  | 1.65 | 61110203-4016   |
| 40-25CR   | 38.1  | 25.4  | 60  | 1.65 | 61110303-4025   |
| 50-25CR   | 50.8  | 25.4  | 60  | 1.65 | 61110403-5025   |
| 50-40CR   | 50.8  | 38.1  | 60  | 1.65 | 61110503-5040   |
| 63-40CR   | 63.5  | 38.1  | 60  | 1.65 | 61110603-6340   |
| 63-50CR   | 63.5  | 50.8  | 60  | 1.65 | 61110703-6350   |
| 80-50CR   | 76.2  | 50.8  | 90  | 1.65 | 61110803-8050   |
| 80-63CR   | 76.2  | 63.5  | 90  | 1.65 | 61110903-8063   |
| 100-50CR  | 101.6 | 50.8  | 90  | 2.11 | 61111003-100050 |
| 100-63CR  | 101.6 | 63.5  | 90  | 2.11 | 61111103-100063 |
| 100-80CR  | 101.6 | 76.2  | 90  | 2.11 | 61111203-100080 |
| 150-80CR  | 152.4 | 76.2  | 152 | 2.8  | 61111303-150080 |
| 150-100CR | 152.4 | 101.6 | 152 | 2.8  | 61111403-150100 |

90°弯头

90 ° elbow




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格       | A     | B     | t    | 产品编号          |
|----------|-------|-------|------|---------------|
| 16EL90A  | 28.6  | 19.05 | 1.65 | 61120103-0016 |
| 25EL90A  | 38.1  | 25.4  | 1.65 | 61120203-0025 |
| 40EL90A  | 57.2  | 38.1  | 1.65 | 61120303-0040 |
| 50EL90A  | 76.2  | 50.8  | 1.65 | 61120403-0050 |
| 63EL90A  | 95.2  | 63.5  | 1.65 | 61120503-0063 |
| 80EL90A  | 114.3 | 76.2  | 1.65 | 61120603-0080 |
| 100EL90A | 152.4 | 101.6 | 2.11 | 61120703-0100 |
| 150EL90A | 228.6 | 152.4 | 2.8  | 61120803-0150 |

加长90°弯头

Lengthened 90 ° elbow




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格        | A     | B     | R     | t    | 产品编号          |
|-----------|-------|-------|-------|------|---------------|
| 16ELT90A  | 34.5  | 19.05 | 28.6  | 1.65 | 61130103-0016 |
| 25ELT90A  | 52.4  | 25.4  | 38.1  | 1.65 | 61130203-0025 |
| 40ELT90A  | 74.6  | 38.1  | 57.2  | 1.65 | 61130303-0040 |
| 50ELT90A  | 103.2 | 50.8  | 76.2  | 1.65 | 61130403-0050 |
| 63ELT90A  | 131.8 | 63.5  | 95.2  | 1.65 | 61130503-0063 |
| 80ELT90A  | 160.3 | 76.2  | 114.3 | 1.65 | 61130603-0080 |
| 100ELT90A | 211.1 | 101.6 | 152.4 | 2.11 | 61130703-0100 |



# 45°弯头

— 45 ° elbow




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格       | A    | B     | t    | 产品编号          |
|----------|------|-------|------|---------------|
| 16EL45A  | 10.8 | 19.05 | 1.65 | 61140103-0016 |
| 25EL45A  | 15.9 | 25.4  | 1.65 | 61140203-0025 |
| 40EL45A  | 23.8 | 38.1  | 1.65 | 61140303-0040 |
| 50EL45A  | 31.8 | 50.8  | 1.65 | 61140403-0050 |
| 63EL45A  | 39.7 | 63.5  | 1.65 | 61140503-0063 |
| 80EL45A  | 47.6 | 76.2  | 1.65 | 61140603-0080 |
| 100EL45A | 63.5 | 101.6 | 2.11 | 61140703-0100 |

# 加长45°弯头

— Lengthened 45 ° elbow




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格        | A     | B     | t    | 产品编号          |
|-----------|-------|-------|------|---------------|
| 16ELT45A  | 19.3  | 19.05 | 1.65 | 61150103-0016 |
| 25ELT45A  | 30.2  | 25.4  | 1.65 | 61150203-0025 |
| 40ELT45A  | 41.3  | 38.1  | 1.65 | 61150303-0040 |
| 50ELT45A  | 58.7  | 50.8  | 1.65 | 61150403-0050 |
| 63ELT45A  | 76.2  | 63.5  | 1.65 | 61150503-0063 |
| 80ELT45A  | 93.7  | 76.2  | 1.65 | 61150603-0080 |
| 100ELT45A | 122.2 | 101.6 | 2.11 | 61150703-0100 |

# 三通管件

— Tee fittings




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格    | A    | B     | C     | t    | 产品编号          |
|-------|------|-------|-------|------|---------------|
| 16TA  | 34.5 | 19.05 | 69    | 1.65 | 61160103-0016 |
| 25TA  | 47.6 | 25.4  | 95.2  | 1.65 | 61160203-0025 |
| 40TA  | 57.2 | 38.1  | 114.4 | 1.65 | 61160303-0040 |
| 50TA  | 76.2 | 50.8  | 152.4 | 1.65 | 61160403-0050 |
| 63TA  | 76.2 | 63.5  | 152.4 | 1.65 | 61160503-0063 |
| 80TA  | 82.5 | 76.2  | 165.1 | 1.65 | 61160603-0080 |
| 100TA | 98.4 | 101.6 | 196.8 | 2.11 | 61160703-0100 |
| 150TA | 127  | 152.4 | 254   | 2.8  | 61160803-0150 |

# 四通管件

— Four fittings





材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格    | A    | B     | C     | t    | 产品编号          |
|-------|------|-------|-------|------|---------------|
| 16XA  | 34.5 | 19.05 | 69    | 1.65 | 61170103-0016 |
| 25XA  | 47.6 | 25.4  | 95.2  | 1.65 | 61170203-0025 |
| 40XA  | 57.2 | 38.1  | 114.4 | 1.65 | 61170303-0040 |
| 50XA  | 76.2 | 50.8  | 152.4 | 1.65 | 61170403-0050 |
| 63XA  | 76.2 | 63.5  | 152.4 | 1.65 | 61170503-0063 |
| 80XA  | 82.5 | 76.2  | 165.1 | 1.65 | 61170603-0080 |
| 100XA | 98.4 | 101.6 | 196.8 | 2.11 | 61170703-0100 |
| 150XA | 127  | 152.4 | 254   | 2.8  | 61170803-0150 |

# 变径三通

— Reducing tee





材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格        | A    | B     | C     | D     | E     | t    | 产品编号            |
|-----------|------|-------|-------|-------|-------|------|-----------------|
| 25UT16A   | 48.2 | 33.7  | 25.4  | 19.05 | 96.4  | 1.65 | 61180103-2516   |
| 40UT16A   | 57.2 | 48.2  | 38.1  | 19.05 | 114.4 | 1.65 | 61180203-4016   |
| 40UT25A   | 57.2 | 54    | 38.1  | 25.4  | 114.4 | 1.65 | 61180303-4025   |
| 50UT16A   | 76.2 | 54    | 50.8  | 19.05 | 152.4 | 1.65 | 61180403-5016   |
| 50UT25A   | 76.2 | 60    | 50.8  | 25.4  | 152.4 | 1.65 | 61180503-5025   |
| 50UT40A   | 76.2 | 63.5  | 50.8  | 38.1  | 152.4 | 1.65 | 61180603-5040   |
| 80UT63A   | 82.5 | 82.5  | 50.8  | 63.5  | 165   | 1.65 | 61180703-8063   |
| 100UT50A  | 98.4 | 95.3  | 101.6 | 50.8  | 196.8 | 2.11 | 61180803-100050 |
| 100UT63A  | 98.4 | 95.3  | 102.6 | 63.5  | 196.8 | 2.11 | 61180903-100063 |
| 100UT80A  | 98.4 | 95.3  | 103.6 | 76.2  | 196.8 | 2.11 | 61181003-100080 |
| 150UT80A  | 127  | 120.7 | 152.4 | 76.2  | 254   | 2.8  | 61181103-150080 |
| 150UT100A | 127  | 123.8 | 152.4 | 101.6 | 254   | 2.8  | 61181203-150100 |

# 变径四通

— Reducing Four




材料：304,316L 表面处理有：酸洗、亚光、镜面

| 规格        | A    | B     | C     | D     | E     | F     | t    | 产品编号            |
|-----------|------|-------|-------|-------|-------|-------|------|-----------------|
| 25XT16A   | 48.2 | 33.7  | 25.4  | 19.05 | 96.4  | 67.4  | 1.65 | 61190103-2516   |
| 40XT16A   | 57.2 | 48.2  | 38.1  | 19.05 | 114.4 | 96.4  | 1.65 | 61190203-4016   |
| 40XT25A   | 57.2 | 54    | 38.1  | 25.4  | 114.4 | 108   | 1.65 | 61190303-4025   |
| 50XT16A   | 76.2 | 54    | 50.8  | 19.05 | 152.4 | 108   | 1.65 | 61190403-5016   |
| 50XT25A   | 76.2 | 60    | 50.8  | 25.4  | 152.4 | 120   | 1.65 | 61190503-5025   |
| 50XT40A   | 76.2 | 63.5  | 50.8  | 38.1  | 152.4 | 127   | 1.65 | 61190603-5040   |
| 80XT63A   | 82.5 | 82.5  | 50.8  | 63.5  | 165   | 165   | 1.65 | 61190703-8063   |
| 100XT50A  | 98.4 | 95.3  | 101.6 | 50.8  | 196.8 | 190.6 | 2.11 | 61190803-100050 |
| 100XT63A  | 98.4 | 95.3  | 102.6 | 63.5  | 196.8 | 190.6 | 2.11 | 61190903-100063 |
| 100XT80A  | 98.4 | 95.3  | 103.6 | 76.2  | 196.8 | 190.6 | 2.11 | 61191003-100080 |
| 150XT80A  | 127  | 120.7 | 152.4 | 76.2  | 254   | 241.4 | 2.8  | 61191103-150080 |
| 150XT100A | 127  | 123.8 | 152.4 | 101.6 | 254   | 247.6 | 2.8  | 61191203-150100 |

# KF90°弯头

— KF 90 ° elbow




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | 标准 | A    | B     | C  | R    | 产品编号          |
|-----------|----|------|-------|----|------|---------------|
| KF16EL90A | 美标 | 38.3 | 19.05 | 30 | 28.6 | 61200103-0016 |
| KF25EL90A | 美标 | 56.2 | 25.4  | 40 | 38.1 | 61200203-0025 |
| KF40EL90A | 美标 | 78.4 | 38.1  | 55 | 57.2 | 61200303-0040 |
| KF50EL90A | 美标 | 107  | 50.8  | 75 | 76.2 | 61200403-0050 |
|           |    |      |       |    |      |               |
| KF16EL90E | 欧标 | 40   | 19.05 | 30 | 28.6 | 61200503-0016 |
| KF25EL90E | 欧标 | 50   | 25.4  | 40 | 38.1 | 61200603-0025 |
| KF40EL90E | 欧标 | 65   | 38.1  | 55 | 57.2 | 61200703-0040 |
| KF50EL90E | 欧标 | 70   | 50.8  | 75 | 76.2 | 61200803-0050 |

# KF两通

— KF two way




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | 标准 | A    | B     | C  | 产品编号          |
|--------|----|------|-------|----|---------------|
| KF16N  | 美标 | 43.6 | 19.05 | 30 | 61200103-0016 |
| KF25N  | 美标 | 43.6 | 25.4  | 40 | 61200203-0025 |
| KF40N  | 美标 | 43.6 | 38.1  | 55 | 61200303-0040 |
| KF50N  | 美标 | 43.6 | 50.8  | 75 | 61200403-0050 |
|        |    |      |       |    |               |
| KF16NL | 欧标 | 80   | 19.05 | 30 | 61200503-0016 |
| KF25NL | 欧标 | 80   | 28    | 40 | 61200603-0025 |
| KF40NL | 欧标 | 80   | 45    | 55 | 61200703-0040 |
| KF50NL | 欧标 | 80   | 57    | 75 | 61200803-0050 |




— KF tee fittings




| 规格     | 标准 | A    | B     | C  | D     | 产品编号          |
|--------|----|------|-------|----|-------|---------------|
| KF16TA | 美标 | 38.3 | 19.05 | 30 | 76.6  | 61210103-0016 |
| KF25TA | 美标 | 51.4 | 25.4  | 40 | 102.8 | 61210203-0025 |
| KF40TA | 美标 | 61   | 38.1  | 55 | 122   | 61210303-0040 |
| KF50TA | 美标 | 80   | 50.8  | 75 | 160   | 61210403-0050 |
|        |    |      |       |    |       |               |
| KF16TE | 欧标 | 40   | 19.05 | 30 | 80    | 61210503-0016 |
| KF25TE | 欧标 | 50   | 25.4  | 40 | 100   | 61210603-0025 |
| KF40TE | 欧标 | 65   | 38.1  | 55 | 130   | 61210703-0040 |
| KF50TE | 欧标 | 70   | 50.8  | 75 | 140   | 61210803-0050 |

— KF four fittings




| 规格     | 标准 | A    | B     | C  | D     | 产品编号          |
|--------|----|------|-------|----|-------|---------------|
| KF16XA | 美标 | 38.3 | 19.05 | 30 | 76.6  | 61220103-0016 |
| KF25XA | 美标 | 51.4 | 25.4  | 40 | 102.8 | 61220203-0025 |
| KF40XA | 美标 | 61   | 38.1  | 55 | 122   | 61220303-0040 |
| KF50XA | 美标 | 80   | 50.8  | 75 | 160   | 61220403-0050 |
|        |    |      |       |    |       |               |
| KF16XE | 欧标 | 40   | 19.05 | 30 | 80    | 61220503-0016 |
| KF25XE | 欧标 | 50   | 25.4  | 40 | 100   | 61220603-0025 |
| KF40XE | 欧标 | 65   | 38.1  | 55 | 130   | 61220703-0040 |
| KF50XE | 欧标 | 70   | 50.8  | 75 | 140   | 61220803-0050 |

— KF reducing tee



| 规格        | 标准 | A  | B    | C  | D  | E     | F    | G   | 产品编号          |
|-----------|----|----|------|----|----|-------|------|-----|---------------|
| KF25UT16A | 美标 | 52 | 37.5 | 40 | 30 | 19.05 | 25.4 | 104 | 61230103-2516 |
| KF40UT16A | 美标 | 61 | 52   | 55 | 30 | 19.05 | 38.1 | 122 | 61230203-4016 |
| KF40UT25A | 美标 | 61 | 57.8 | 55 | 40 | 25.4  | 38.1 | 122 | 61230303-4025 |
| KF50UT16A | 美标 | 80 | 58.2 | 75 | 30 | 19.05 | 50.8 | 160 | 61230403-5016 |
| KF50UT25A | 美标 | 80 | 64.1 | 75 | 40 | 25.4  | 50.8 | 160 | 61230503-5025 |
| KF50UT40A | 美标 | 80 | 67.3 | 75 | 55 | 38.1  | 50.8 | 160 | 61230603-5040 |
|           |    |    |      |    |    |       |      |     |               |
| KF25UT16E | 欧标 | 50 | 40   | 40 | 30 | 19.05 | 25.4 | 100 | 61230703-2516 |
| KF40UT16E | 欧标 | 65 | 40   | 55 | 30 | 19.05 | 38.1 | 130 | 61230803-4016 |
| KF40UT25E | 欧标 | 65 | 50   | 55 | 40 | 25.4  | 38.1 | 130 | 61230903-4025 |
| KF50UT16E | 欧标 | 70 | 50   | 75 | 30 | 19.05 | 50.8 | 140 | 61231003-5016 |
| KF50UT25E | 欧标 | 70 | 65   | 75 | 40 | 25.4  | 50.8 | 140 | 61231103-5025 |
| KF50UT40E | 欧标 | 70 | 65   | 75 | 55 | 38.1  | 50.8 | 140 | 61231203-5040 |


— KF reducing four



| 规格        | 标准 | A  | B    | C  | D  | E     | F    | G   | H     | 产品编号          |
|-----------|----|----|------|----|----|-------|------|-----|-------|---------------|
| KF25UX16A | 美标 | 52 | 37.5 | 40 | 30 | 19.05 | 25.4 | 104 | 75    | 61230103-2516 |
| KF40UX16A | 美标 | 61 | 52   | 55 | 30 | 19.05 | 38.1 | 122 | 104   | 61230203-4016 |
| KF40UX25A | 美标 | 61 | 57.8 | 55 | 40 | 25.4  | 38.1 | 122 | 115.6 | 61230303-4025 |
| KF50UX16A | 美标 | 80 | 58.2 | 75 | 30 | 19.05 | 50.8 | 160 | 116.4 | 61230403-5016 |
| KF50UX25A | 美标 | 80 | 64.1 | 75 | 40 | 25.4  | 50.8 | 160 | 128.2 | 61230503-5025 |
| KF50UX40A | 美标 | 80 | 67.3 | 75 | 55 | 38.1  | 50.8 | 160 | 134.6 | 61230603-5040 |
|           |    |    |      |    |    |       |      |     |       |               |
| KF25UX16E | 欧标 | 50 | 40   | 40 | 30 | 19.05 | 25.4 | 100 | 80    | 61230703-2516 |
| KF40UX16E | 欧标 | 65 | 40   | 55 | 30 | 19.05 | 38.1 | 130 | 80    | 61230803-4016 |
| KF40UX25E | 欧标 | 65 | 50   | 55 | 40 | 25.4  | 38.1 | 130 | 100   | 61230903-4025 |
| KF50UX16E | 欧标 | 70 | 50   | 75 | 30 | 19.05 | 50.8 | 140 | 100   | 61231003-5016 |
| KF50UX25E | 欧标 | 70 | 65   | 75 | 40 | 25.4  | 50.8 | 140 | 130   | 61231103-5025 |
| KF50UX40E | 欧标 | 70 | 65   | 75 | 55 | 38.1  | 50.8 | 140 | 130   | 61231203-5040 |

# ISO 90°弯头

— ISO 90 ° elbow





材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格          | 标准 | A     | B     | C   | 产品编号          |
|-------------|----|-------|-------|-----|---------------|
| ISO63EL90A  | 美标 | 138.4 | 63.5  | 95  | 61240103-0063 |
| ISO80EL90A  | 美标 | 166.9 | 76.2  | 110 | 61240203-0080 |
| ISO100EL90A | 美标 | 217.7 | 101.6 | 130 | 61240303-0100 |
| ISO160EL90A | 美标 | 235.2 | 152.4 | 180 | 61240403-0160 |
|             |    |       |       |     |               |
| ISO63EL90E  | 欧标 | 88    | 63.5  | 95  | 61240503-0063 |
| ISO80EL90E  | 欧标 | 98    | 76.2  | 110 | 61240603-0080 |
| ISO100EL90E | 欧标 | 108   | 101.6 | 130 | 61240703-0100 |
| ISO160EL90E | 欧标 | 138   | 152.4 | 180 | 61240803-0160 |

# ISO两通

— ISO two way




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格      | A   | B     | C   | 产品编号          |
|---------|-----|-------|-----|---------------|
| ISO63N  | 95  | 63.5  | 100 | 61250103-0063 |
| ISO80N  | 110 | 76.2  | 100 | 61250203-0080 |
| ISO100N | 130 | 101.6 | 100 | 61250303-0100 |
| ISO160N | 180 | 152.4 | 100 | 61250403-0160 |
| ISO200N | 240 | 204   | 100 | 61250503-0200 |
| ISO250N | 290 | 254   | 100 | 61250603-0250 |
| ISO320N | 370 | 304.8 | 200 | 61250703-0320 |
| ISO400N | 450 | 406.4 | 200 | 61250803-0400 |
| ISO500N | 550 | 508   | 200 | 61250903-0500 |

# ISO三通

— ISO tee fittings




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格       | 标准 | A     | B     | C   | D     | 产品编号          |
|----------|----|-------|-------|-----|-------|---------------|
| ISO63TA  | 美标 | 82.8  | 63.5  | 95  | 165.6 | 61260103-0063 |
| ISO80TA  | 美标 | 89.15 | 76.2  | 110 | 178.3 | 61260203-0080 |
| ISO100TA | 美标 | 105   | 101.6 | 130 | 210   | 61260303-0100 |
| ISO160TA | 美标 | 133.6 | 152.4 | 180 | 267.2 | 61260403-0160 |
|          |    |       |       |     |       |               |
| ISO63TE  | 欧标 | 88    | 63.5  | 95  | 176   | 61260503-0063 |
| ISO80TE  | 欧标 | 98    | 76.2  | 110 | 196   | 61260603-0080 |
| ISO100TE | 欧标 | 108   | 101.6 | 130 | 216   | 61260703-0100 |
| ISO160TE | 欧标 | 138   | 152.4 | 180 | 276   | 61260803-0160 |

# ISO四通

— ISO four fittings




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格       | 标准 | A     | B     | C   | D     | 产品编号          |
|----------|----|-------|-------|-----|-------|---------------|
| ISO63XA  | 美标 | 82.8  | 63.5  | 95  | 165.6 | 61270103-0063 |
| ISO80XA  | 美标 | 89.15 | 76.2  | 110 | 178.3 | 61270203-0080 |
| ISO100XA | 美标 | 105   | 101.6 | 130 | 210   | 61270303-0100 |
| ISO160XA | 美标 | 133.6 | 152.4 | 180 | 267.2 | 61270403-0160 |
|          |    |       |       |     |       |               |
| ISO63XE  | 欧标 | 88    | 63.5  | 95  | 176   | 61270503-0063 |
| ISO80XE  | 欧标 | 98    | 76.2  | 110 | 196   | 61270603-0080 |
| ISO100XE | 欧标 | 108   | 101.6 | 130 | 216   | 61270703-0100 |
| ISO160XE | 欧标 | 138   | 152.4 | 180 | 276   | 61270803-0160 |



# CF 90°弯头

— CF 90 ° elbow




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A     | B     | C   | 产品编号          |
|-----------|-------|-------|-----|---------------|
| CF16EL90  | 37.5  | 19.05 | 34  | 61280103-0016 |
| CF35EL90  | 79.9  | 38.1  | 70  | 61280203-0035 |
| CF63EL90  | 141.3 | 63.5  | 114 | 61280303-0063 |
| CF100EL90 | 222.2 | 101.6 | 152 | 61280403-0100 |
| CF150EL90 | 241.3 | 152.4 | 202 | 61280503-0150 |

# CF 松套90°弯头

— CF 90 ° elbow




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A     | B     | C   | 产品编号          |
|-----------|-------|-------|-----|---------------|
| CR16EL90  | 37.5  | 19.05 | 34  | 61290103-0016 |
| CR35EL90  | 79.9  | 38.1  | 70  | 61290203-0035 |
| CR63EL90  | 141.3 | 63.5  | 114 | 61290303-0063 |
| CR100EL90 | 222.2 | 101.6 | 152 | 61290403-0100 |
| CR150EL90 | 241.3 | 152.4 | 202 | 61290503-0150 |

# CF两通

— CF two way




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A   | B     | C   | 产品编号          |
|--------|-----|-------|-----|---------------|
| CF16N  | 76  | 19.05 | 34  | 61300103-0016 |
| CF35N  | 126 | 38.1  | 70  | 61300203-0035 |
| CF63N  | 210 | 63.5  | 114 | 61300303-0063 |
| CF100N | 270 | 101.6 | 152 | 61300403-0100 |
| CF150N | 334 | 152.4 | 202 | 61300503-0150 |
| CF200N | 334 | 204   | 253 | 61300603-0200 |

# CF松套两通



— CF loose sleeve two-way



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A   | B     | C   | 产品编号          |
|--------|-----|-------|-----|---------------|
| CR16N  | 76  | 19.05 | 34  | 61300103-0016 |
| CR35N  | 126 | 38.1  | 70  | 61300203-0035 |
| CR63N  | 210 | 63.5  | 114 | 61300303-0063 |
| CR100N | 270 | 101.6 | 152 | 61300403-0100 |
| CR150N | 334 | 152.4 | 202 | 61300503-0150 |
| CR200N | 334 | 204   | 253 | 61300603-0200 |



CF三通  
— CF three way



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A     | B     | C   | D     | 产品编号          |
|--------|-------|-------|-----|-------|---------------|
| CF16T  | 37.5  | 19.05 | 34  | 75    | 61310103-0016 |
| CF35T  | 62.5  | 38.1  | 70  | 125   | 61310203-0035 |
| CF63T  | 85.7  | 63.5  | 114 | 171.4 | 61310303-0063 |
| CF100T | 109.5 | 101.6 | 152 | 219   | 61310403-0100 |
| CF150T | 139.7 | 152.4 | 202 | 279.4 | 61310503-0150 |


CF松套三通  
— CF three way



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A     | B     | C   | D     | 产品编号          |
|--------|-------|-------|-----|-------|---------------|
| CR16T  | 37.5  | 19.05 | 34  | 75    | 61320103-0016 |
| CR35T  | 62.5  | 38.1  | 70  | 125   | 61320203-0035 |
| CR63T  | 85.7  | 63.5  | 114 | 171.4 | 61320303-0063 |
| CR100T | 109.5 | 101.6 | 152 | 219   | 61320403-0100 |
| CR150T | 139.7 | 152.4 | 202 | 279.4 | 61320503-0150 |


CF四通  
— CF four way



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A     | B     | C   | D     | 产品编号          |
|--------|-------|-------|-----|-------|---------------|
| CF16X  | 37.5  | 19.05 | 34  | 75    | 61310103-0016 |
| CF35X  | 62.5  | 38.1  | 70  | 125   | 61310203-0035 |
| CF63X  | 85.7  | 63.5  | 114 | 171.4 | 61310303-0063 |
| CF100X | 109.5 | 101.6 | 152 | 219   | 61310403-0100 |
| CF150X | 139.7 | 152.4 | 202 | 279.4 | 61310503-0150 |

CF松套四通  
— CF four way



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格     | A     | B     | C   | D     | 产品编号          |
|--------|-------|-------|-----|-------|---------------|
| CR16X  | 37.5  | 19.05 | 34  | 75    | 61320103-0016 |
| CR35X  | 62.5  | 38.1  | 70  | 125   | 61320203-0035 |
| CR63X  | 85.7  | 63.5  | 114 | 171.4 | 61320303-0063 |
| CR100X | 109.5 | 101.6 | 152 | 219   | 61320403-0100 |
| CR150X | 139.7 | 152.4 | 202 | 279.4 | 61320503-0150 |



# BRACKET SERIES

## 支架系列


### 做工精良 品质保证

氟橡胶材质，不锈钢材质  
防腐蚀，耐高温，长寿命  
严格按照国家标准选材,保证每一件产品的质量



KF | 中心支架


KF Center bracket



| 规格      | CR  | A  | B  | C   | D | 产品编号          |
|---------|-----|----|----|-----|---|---------------|
| KF10CRA | AL  | 10 | 12 | 3.9 | 8 | 81110101-0010 |
| KF16CRA | AL  | 16 | 17 | 3.9 | 8 | 81110201-0016 |
| KF25CRA | AL  | 25 | 26 | 3.9 | 8 | 81110301-0025 |
| KF40CRA | AL  | 40 | 41 | 3.9 | 8 | 81110401-0040 |
| KF50CRA | AL  | 50 | 52 | 3.9 | 8 | 81110501-0050 |
|         |     |    |    |     |   |               |
| KF10CRS | 304 | 10 | 12 | 3.9 | 8 | 81110103-0010 |
| KF16CRS | 304 | 16 | 17 | 3.9 | 8 | 81110203-0016 |
| KF25CRS | 304 | 25 | 26 | 3.9 | 8 | 81110303-0025 |
| KF40CRS | 304 | 40 | 41 | 3.9 | 8 | 81110403-0040 |
| KF50CRS | 304 | 50 | 52 | 3.9 | 8 | 81110503-0050 |

KF | 中心支架+密封圈

KF Center bracket + sealing ring



| 规格       | CR  | O-Ring | A  | B  | C   | D | 产品编号           |
|----------|-----|--------|----|----|-----|---|----------------|
| KF10CRVA | AL  | Viton  | 10 | 12 | 3.9 | 8 | 811201011-0010 |
| KF16CRVA | AL  | Viton  | 16 | 17 | 3.9 | 8 | 811202011-0016 |
| KF25CRVA | AL  | Viton  | 25 | 26 | 3.9 | 8 | 811203011-0025 |
| KF40CRVA | AL  | Viton  | 40 | 41 | 3.9 | 8 | 811204011-0040 |
| KF50CRVA | AL  | Viton  | 50 | 52 | 3.9 | 8 | 811205011-0050 |
|          |     |        |    |    |     |   |                |
| KF10CRVS | 304 | Viton  | 10 | 12 | 3.9 | 8 | 811201031-0010 |
| KF16CRVS | 304 | Viton  | 16 | 17 | 3.9 | 8 | 811202031-0016 |
| KF25CRVS | 304 | Viton  | 25 | 26 | 3.9 | 8 | 811203031-0025 |
| KF40CRVS | 304 | Viton  | 40 | 41 | 3.9 | 8 | 811204031-0040 |
| KF50CRVS | 304 | Viton  | 50 | 52 | 3.9 | 8 | 811205031-0050 |
|          |     |        |    |    |     |   |                |
| KF10CRNA | AL  | NBR    | 10 | 12 | 3.9 | 8 | 811201012-0010 |
| KF16CRNA | AL  | NBR    | 16 | 17 | 3.9 | 8 | 811202012-0016 |
| KF25CRNA | AL  | NBR    | 25 | 26 | 3.9 | 8 | 811203012-0025 |
| KF40CRNA | AL  | NBR    | 40 | 41 | 3.9 | 8 | 811204012-0040 |
| KF50CRNA | AL  | NBR    | 50 | 52 | 3.9 | 8 | 811205012-0050 |
|          |     |        |    |    |     |   |                |
| KF10CRNS | 304 | NBR    | 10 | 12 | 3.9 | 8 | 811201032-0010 |
| KF16CRNS | 304 | NBR    | 16 | 17 | 3.9 | 8 | 811202032-0016 |
| KF25CRNS | 304 | NBR    | 25 | 26 | 3.9 | 8 | 811203032-0025 |
| KF40CRNS | 304 | NBR    | 40 | 41 | 3.9 | 8 | 811204032-0040 |
| KF50CRNS | 304 | NBR    | 50 | 52 | 3.9 | 8 | 811205032-0050 |

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.  
●●●●●●●●


正拓阀门  
ZHENG TUO VALVE





KF | 中心支架+密封圈+外支架


KF Center bracket + sealing ring



| 规格       | CR  | O-Ring | A    | B    | C   | D | 产品编号           |
|----------|-----|--------|------|------|-----|---|----------------|
| KF10CRVA | AL  | Viton  | 30   | 12.2 | 3.9 | 8 | 811301011-0010 |
| KF16CRVA | AL  | Viton  | 30   | 17.2 | 3.9 | 8 | 811302011-0016 |
| KF25CRVA | AL  | Viton  | 41.5 | 26.2 | 3.9 | 8 | 811303011-0025 |
| KF40CRVA | AL  | Viton  | 56   | 41.2 | 3.9 | 8 | 811304011-0040 |
| KF50CRVA | AL  | Viton  | 75   | 52.2 | 3.9 | 8 | 811305011-0050 |
|          |     |        |      |      |     |   |                |
| KF10CRVS | 304 | Viton  | 30   | 12.2 | 3.9 | 8 | 811301031-0010 |
| KF16CRVS | 304 | Viton  | 30   | 17.2 | 3.9 | 8 | 811302031-0016 |
| KF25CRVS | 304 | Viton  | 41.5 | 26.2 | 3.9 | 8 | 811303031-0025 |
| KF40CRVS | 304 | Viton  | 56   | 41.2 | 3.9 | 8 | 811304031-0040 |
| KF50CRVS | 304 | Viton  | 75   | 52.2 | 3.9 | 8 | 811305031-0050 |
|          |     |        |      |      |     |   |                |
| KF10CRNA | AL  | NBR    | 30   | 12.2 | 3.9 | 8 | 811301012-0010 |
| KF16CRNA | AL  | NBR    | 30   | 17.2 | 3.9 | 8 | 811302012-0016 |
| KF25CRNA | AL  | NBR    | 41.5 | 26.2 | 3.9 | 8 | 811303012-0025 |
| KF40CRNA | AL  | NBR    | 56   | 41.2 | 3.9 | 8 | 811304012-0040 |
| KF50CRNA | AL  | NBR    | 75   | 52.2 | 3.9 | 8 | 811305012-0050 |
|          |     |        |      |      |     |   |                |
| KF10CRNS | 304 | NBR    | 30   | 12.2 | 3.9 | 8 | 811301032-0010 |
| KF16CRNS | 304 | NBR    | 30   | 17.2 | 3.9 | 8 | 811302032-0016 |
| KF25CRNS | 304 | NBR    | 41.5 | 26.2 | 3.9 | 8 | 811303032-0025 |
| KF40CRNS | 304 | NBR    | 56   | 41.2 | 3.9 | 8 | 811304032-0040 |
| KF50CRNS | 304 | NBR    | 75   | 52.2 | 3.9 | 8 | 811305032-0050 |

KF | Oz内外支架


KF Center bracket



| 规格           | OR | CR  | O-Ring | A    | B  | C | 产品编号          |
|--------------|----|-----|--------|------|----|---|---------------|
| KF10OCRVS    | AL | 304 | Viton  | 32.5 | 10 | 8 | 81140101-0010 |
| KF16OCRVS    | AL | 304 | Viton  | 32.5 | 16 | 8 | 81140201-0016 |
| KF25OCRVS    | AL | 304 | Viton  | 42.5 | 25 | 8 | 81140301-0025 |
| KF40OCRVS    | AL | 304 | Viton  | 57.5 | 40 | 8 | 81140401-0040 |
| KF50OCRVS    | AL | 304 | Viton  | 77.5 | 50 | 8 | 81140501-0050 |
|              |    |     |        |      |    |   |               |
| KF10OCRV-316 | AL | 316 | Viton  | 32.5 | 10 | 8 | 81140103-0010 |
| KF16OCRV-316 | AL | 316 | Viton  | 32.5 | 16 | 8 | 81140203-0016 |
| KF25OCRV-316 | AL | 316 | Viton  | 42.5 | 25 | 8 | 81140303-0025 |
| KF40OCRV-316 | AL | 316 | Viton  | 57.5 | 40 | 8 | 81140403-0040 |
| KF50OCRV-316 | AL | 316 | Viton  | 77.5 | 50 | 8 | 81140503-0050 |

KF | 带网中心支架+密封圈


KF Belt net center support + sealing ring



| 规格       | CR  | O-Ring | A  | B   | C | 产品编号           |
|----------|-----|--------|----|-----|---|----------------|
| KF10CRVA | AL  | Viton  | 12 | 3.9 | 8 | 811501011-0010 |
| KF16CRVA | AL  | Viton  | 17 | 3.9 | 8 | 811502011-0016 |
| KF25CRVA | AL  | Viton  | 26 | 3.9 | 8 | 811503011-0025 |
| KF40CRVA | AL  | Viton  | 41 | 3.9 | 8 | 811504011-0040 |
| KF50CRVA | AL  | Viton  | 52 | 3.9 | 8 | 811505011-0050 |
| KF10CRVS | 304 | Viton  | 12 | 3.9 | 8 | 811501031-0010 |
| KF16CRVS | 304 | Viton  | 17 | 3.9 | 8 | 811502031-0016 |
| KF25CRVS | 304 | Viton  | 26 | 3.9 | 8 | 811503031-0025 |
| KF40CRVS | 304 | Viton  | 41 | 3.9 | 8 | 811504031-0040 |
| KF50CRVS | 304 | Viton  | 52 | 3.9 | 8 | 811505031-0050 |
| KF10CRNA | AL  | NBR    | 12 | 3.9 | 8 | 811501012-0010 |
| KF16CRNA | AL  | NBR    | 17 | 3.9 | 8 | 811502012-0016 |
| KF25CRNA | AL  | NBR    | 26 | 3.9 | 8 | 811503012-0025 |
| KF40CRNA | AL  | NBR    | 41 | 3.9 | 8 | 811504012-0040 |
| KF50CRNA | AL  | NBR    | 52 | 3.9 | 8 | 811505012-0050 |
| KF10CRNS | 304 | NBR    | 12 | 3.9 | 8 | 811501032-0010 |
| KF16CRNS | 304 | NBR    | 17 | 3.9 | 8 | 811502032-0016 |
| KF25CRNS | 304 | NBR    | 26 | 3.9 | 8 | 811503032-0025 |
| KF40CRNS | 304 | NBR    | 41 | 3.9 | 8 | 811504032-0040 |
| KF50CRNS | 304 | NBR    | 52 | 3.9 | 8 | 811505032-0050 |

ISO | 中心支架(欧标)


ISO Center bracket




| 规格         | CR  | A     | B   | C   | D  | 产品编号          |
|------------|-----|-------|-----|-----|----|---------------|
| ISO63CRAE  | AL  | 67    | 70  | 3.9 | 8  | 81160101-0063 |
| ISO80CRAE  | AL  | 80    | 83  | 3.9 | 8  | 81160201-0080 |
| ISO100CRAE | AL  | 99    | 102 | 3.9 | 8  | 81160301-0100 |
| ISO160CRAE | AL  | 150   | 153 | 3.9 | 8  | 81160401-0160 |
| ISO200CRAE | AL  | 210   | 213 | 3.9 | 8  | 81160501-0200 |
| ISO250CRAE | AL  | 257.5 | 261 | 3.9 | 8  | 81160601-0250 |
| ISO320CRAE | AL  | 312   | 318 | 5.6 | 12 | 81160701-0320 |
| ISO400CRAE | AL  | 394   | 400 | 5.6 | 12 | 81160801-0400 |
| ISO500CRAE | AL  | 494   | 501 | 5.6 | 12 | 81160901-0500 |
| ISO63CRSE  | 304 | 67    | 70  | 3.9 | 8  | 81160103-0063 |
| ISO80CRSE  | 304 | 80    | 83  | 3.9 | 8  | 81160203-0080 |
| ISO100CRSE | 304 | 99    | 102 | 3.9 | 8  | 81160303-0100 |
| ISO160CRSE | 304 | 150   | 153 | 3.9 | 8  | 81160403-0160 |
| ISO200CRSE | 304 | 210   | 213 | 3.9 | 8  | 81160503-0200 |
| ISO250CRSE | 304 | 257.5 | 261 | 3.9 | 8  | 81160603-0250 |
| ISO320CRSE | 304 | 312   | 318 | 5.6 | 12 | 81160703-0320 |
| ISO400CRSE | 304 | 394   | 400 | 5.6 | 12 | 81160803-0400 |
| ISO500CRSE | 304 | 494   | 501 | 5.6 | 12 | 81160903-0500 |








| 规格         | CR  | A     | B     | C   | D  | 产品编号          |
|------------|-----|-------|-------|-----|----|---------------|
| ISO63CRAA  | AL  | 67    | 69.6  | 3.9 | 8  | 81170101-0063 |
| ISO80CRAA  | AL  | 80    | 82.6  | 3.9 | 8  | 81170201-0080 |
| ISO100CRAA | AL  | 99    | 101.6 | 3.9 | 8  | 81170301-0100 |
| ISO160CRAA | AL  | 150   | 152.6 | 3.9 | 8  | 81170401-0160 |
| ISO200CRAA | AL  | 210   | 212.6 | 3.9 | 8  | 81170501-0200 |
| ISO250CRAA | AL  | 257.5 | 260.6 | 3.9 | 8  | 81170601-0250 |
| ISO320CRAA | AL  | 312   | 317.3 | 5.6 | 12 | 81170701-0320 |
| ISO400CRAA | AL  | 394   | 399.2 | 5.6 | 12 | 81170801-0400 |
| ISO500CRAA | AL  | 494   | 500.2 | 5.6 | 12 | 81170901-0500 |
| ISO63CRSA  | 304 | 67    | 69.6  | 3.9 | 8  | 81170103-0063 |
| ISO80CRSA  | 304 | 80    | 82.6  | 3.9 | 8  | 81170203-0080 |
| ISO100CRSA | 304 | 99    | 101.6 | 3.9 | 8  | 81170303-0100 |
| ISO160CRSA | 304 | 150   | 152.6 | 3.9 | 8  | 81170403-0160 |
| ISO200CRSA | 304 | 210   | 212.6 | 3.9 | 8  | 81170503-0200 |
| ISO250CRSA | 304 | 257.5 | 260.6 | 3.9 | 8  | 81170603-0250 |
| ISO320CRSA | 304 | 312   | 317.3 | 5.6 | 12 | 81170703-0320 |
| ISO400CRSA | 304 | 394   | 399.2 | 5.6 | 12 | 81170803-0400 |
| ISO500CRSA | 304 | 494   | 500.2 | 5.6 | 12 | 81170903-0500 |



| 规格          | CR  | O-Ring | A     | B   | C   | D  | 产品编号          |
|-------------|-----|--------|-------|-----|-----|----|---------------|
| ISO63CRVAE  | AL  | Viton  | 67    | 70  | 3.9 | 8  | 81180101-0063 |
| ISO80CRVAE  | AL  | Viton  | 80    | 83  | 3.9 | 8  | 81180201-0080 |
| ISO100CRVAE | AL  | Viton  | 99    | 102 | 3.9 | 8  | 81180301-0100 |
| ISO160CRVAE | AL  | Viton  | 150   | 153 | 3.9 | 8  | 81180401-0160 |
| ISO200CRVAE | AL  | Viton  | 210   | 213 | 3.9 | 8  | 81180501-0200 |
| ISO250CRVAE | AL  | Viton  | 257.5 | 261 | 3.9 | 8  | 81180601-0250 |
| ISO320CRVAE | AL  | Viton  | 312   | 318 | 5.6 | 12 | 81180701-0320 |
| ISO400CRVAE | AL  | Viton  | 394   | 400 | 5.6 | 12 | 81180801-0400 |
| ISO500CRVAE | AL  | Viton  | 494   | 501 | 5.6 | 12 | 81180901-0500 |
| ISO63CRVSE  | 304 | Viton  | 67    | 70  | 3.9 | 8  | 81180103-0063 |
| ISO80CRVSE  | 304 | Viton  | 80    | 83  | 3.9 | 8  | 81180203-0080 |
| ISO100CRVSE | 304 | Viton  | 99    | 102 | 3.9 | 8  | 81180303-0100 |
| ISO160CRVSE | 304 | Viton  | 150   | 153 | 3.9 | 8  | 81180403-0160 |
| ISO200CRVSE | 304 | Viton  | 210   | 213 | 3.9 | 8  | 81180503-0200 |
| ISO250CRVSE | 304 | Viton  | 257.5 | 261 | 3.9 | 8  | 81180603-0250 |
| ISO320CRVSE | 304 | Viton  | 312   | 318 | 5.6 | 12 | 81180703-0320 |
| ISO400CRVSE | 304 | Viton  | 394   | 400 | 5.6 | 12 | 81180803-0400 |
| ISO500CRVSE | 304 | Viton  | 494   | 501 | 5.6 | 12 | 81180903-0500 |

ISO| 支架+密封圈(欧标)

ISO Center bracket + sealing ring




| 规格          | CR | O-Ring | A     | B   | C   | D  | 产品编号          |
|-------------|----|--------|-------|-----|-----|----|---------------|
| ISO63CRVAE  | AL | NBR    | 67    | 70  | 3.9 | 8  | 81190101-0063 |
| ISO80CRVAE  | AL | NBR    | 80    | 83  | 3.9 | 8  | 81190201-0080 |
| ISO100CRVAE | AL | NBR    | 99    | 102 | 3.9 | 8  | 81190301-0100 |
| ISO160CRVAE | AL | NBR    | 150   | 153 | 3.9 | 8  | 81190401-0160 |
| ISO200CRVAE | AL | NBR    | 210   | 213 | 3.9 | 8  | 81190501-0200 |
| ISO250CRVAE | AL | NBR    | 257.5 | 261 | 3.9 | 8  | 81190601-0250 |
| ISO320CRVAE | AL | NBR    | 312   | 318 | 5.6 | 12 | 81190701-0320 |
| ISO400CRVAE | AL | NBR    | 394   | 400 | 5.6 | 12 | 81190801-0400 |
| ISO500CRVAE | AL | NBR    | 494   | 501 | 5.6 | 12 | 81190901-0500 |

|             |     |     |       |     |     |    |               |
|-------------|-----|-----|-------|-----|-----|----|---------------|
| ISO63CRVSE  | 304 | NBR | 67    | 70  | 3.9 | 8  | 81190103-0063 |
| ISO80CRVSE  | 304 | NBR | 80    | 83  | 3.9 | 8  | 81190203-0080 |
| ISO100CRVSE | 304 | NBR | 99    | 102 | 3.9 | 8  | 81190303-0100 |
| ISO160CRVSE | 304 | NBR | 150   | 153 | 3.9 | 8  | 81190403-0160 |
| ISO200CRVSE | 304 | NBR | 210   | 213 | 3.9 | 8  | 81190503-0200 |
| ISO250CRVSE | 304 | NBR | 257.5 | 261 | 3.9 | 8  | 81190603-0250 |
| ISO320CRVSE | 304 | NBR | 312   | 318 | 5.6 | 12 | 81190703-0320 |
| ISO400CRVSE | 304 | NBR | 394   | 400 | 5.6 | 12 | 81190803-0400 |
| ISO500CRVSE | 304 | NBR | 494   | 501 | 5.6 | 12 | 81190903-0500 |

ISO| 支架+密封圈(美标)

ISO Center bracket + sealing ring




| 规格          | CR | O-Ring | A     | B     | C   | D  | 产品编号          |
|-------------|----|--------|-------|-------|-----|----|---------------|
| ISO63CRVAA  | AL | Viton  | 67    | 69.6  | 3.9 | 8  | 81210101-0063 |
| ISO80CRVAA  | AL | Viton  | 80    | 82.6  | 3.9 | 8  | 81210201-0080 |
| ISO100CRVAA | AL | Viton  | 99    | 101.6 | 3.9 | 8  | 81210301-0100 |
| ISO160CRVAA | AL | Viton  | 150   | 152.6 | 3.9 | 8  | 81210401-0160 |
| ISO200CRVAA | AL | Viton  | 210   | 212.6 | 3.9 | 8  | 81210501-0200 |
| ISO250CRVAA | AL | Viton  | 257.5 | 260.6 | 3.9 | 8  | 81210601-0250 |
| ISO320CRVAA | AL | Viton  | 312   | 317.3 | 5.6 | 12 | 81210701-0320 |
| ISO400CRVAA | AL | Viton  | 394   | 399.2 | 5.6 | 12 | 81210801-0400 |
| ISO500CRVAA | AL | Viton  | 494   | 500.2 | 5.6 | 12 | 81210901-0500 |

|             |     |       |       |       |     |    |               |
|-------------|-----|-------|-------|-------|-----|----|---------------|
| ISO63CRVSA  | 304 | Viton | 67    | 69.6  | 3.9 | 8  | 81210103-0063 |
| ISO80CRVSA  | 304 | Viton | 80    | 82.6  | 3.9 | 8  | 81210203-0080 |
| ISO100CRVSA | 304 | Viton | 99    | 101.6 | 3.9 | 8  | 81210303-0100 |
| ISO160CRVSA | 304 | Viton | 150   | 152.6 | 3.9 | 8  | 81210403-0160 |
| ISO200CRVSA | 304 | Viton | 210   | 212.6 | 3.9 | 8  | 81210503-0200 |
| ISO250CRVSA | 304 | Viton | 257.5 | 260.6 | 3.9 | 8  | 81210603-0250 |
| ISO320CRVSA | 304 | Viton | 312   | 317.3 | 5.6 | 12 | 81210703-0320 |
| ISO400CRVSA | 304 | Viton | 394   | 399.2 | 5.6 | 12 | 81210803-0400 |
| ISO500CRVSA | 304 | Viton | 494   | 500.2 | 5.6 | 12 | 81210903-0500 |



ISO| 支架+密封圈(美标)


ISO Center bracket + sealing ring



| 规格          | CR  | O-Ring | A     | B     | C   | D  | 产品编号          |
|-------------|-----|--------|-------|-------|-----|----|---------------|
| ISO63CRVAA  | AL  | NBR    | 67    | 69.6  | 3.9 | 8  | 81210101-0063 |
| ISO80CRVAA  | AL  | NBR    | 80    | 82.6  | 3.9 | 8  | 81210201-0080 |
| ISO100CRVAA | AL  | NBR    | 99    | 101.6 | 3.9 | 8  | 81210301-0100 |
| ISO160CRVAA | AL  | NBR    | 150   | 152.6 | 3.9 | 8  | 81210401-0160 |
| ISO200CRVAA | AL  | NBR    | 210   | 212.6 | 3.9 | 8  | 81210501-0200 |
| ISO250CRVAA | AL  | NBR    | 257.5 | 260.6 | 3.9 | 8  | 81210601-0250 |
| ISO320CRVAA | AL  | NBR    | 312   | 317.3 | 5.6 | 12 | 81210701-0320 |
| ISO400CRVAA | AL  | NBR    | 394   | 399.2 | 5.6 | 12 | 81210801-0400 |
| ISO500CRVAA | AL  | NBR    | 494   | 500.2 | 5.6 | 12 | 81210901-0500 |
| ISO63CRVSA  | 304 | NBR    | 67    | 69.6  | 3.9 | 8  | 81210103-0063 |
| ISO80CRVSA  | 304 | NBR    | 80    | 82.6  | 3.9 | 8  | 81210203-0080 |
| ISO100CRVSA | 304 | NBR    | 99    | 101.6 | 3.9 | 8  | 81210303-0100 |
| ISO160CRVSA | 304 | NBR    | 150   | 152.6 | 3.9 | 8  | 81210403-0160 |
| ISO200CRVSA | 304 | NBR    | 210   | 212.6 | 3.9 | 8  | 81210503-0200 |
| ISO250CRVSA | 304 | NBR    | 257.5 | 260.6 | 3.9 | 8  | 81210603-0250 |
| ISO320CRVSA | 304 | NBR    | 312   | 317.3 | 5.6 | 12 | 81210703-0320 |
| ISO400CRVSA | 304 | NBR    | 394   | 399.2 | 5.6 | 12 | 81210803-0400 |
| ISO500CRVSA | 304 | NBR    | 494   | 500.2 | 5.6 | 12 | 81210903-0500 |

ISO| 支架+密封圈+外圈(欧标)


ISO Bracket + seal ring + outer ring



| 规格          | CR  | O-Ring | A     | B   | C   | D  | E   | 产品编号          |
|-------------|-----|--------|-------|-----|-----|----|-----|---------------|
| ISO63CRVAE  | AL  | Viton  | 67    | 70  | 3.9 | 8  | 94  | 81220101-0063 |
| ISO80CRVAE  | AL  | Viton  | 80    | 83  | 3.9 | 8  | 109 | 81220201-0080 |
| ISO100CRVAE | AL  | Viton  | 99    | 102 | 3.9 | 8  | 128 | 81220301-0100 |
| ISO160CRVAE | AL  | Viton  | 150   | 153 | 3.9 | 8  | 179 | 81220401-0160 |
| ISO200CRVAE | AL  | Viton  | 210   | 213 | 3.9 | 8  | 238 | 81220501-0200 |
| ISO250CRVAE | AL  | Viton  | 257.5 | 261 | 3.9 | 8  | 287 | 81220601-0250 |
| ISO320CRVAE | AL  | Viton  | 312   | 318 | 5.6 | 12 | 344 | 81220701-0320 |
| ISO400CRVAE | AL  | Viton  | 394   | 400 | 5.6 | 12 | 446 | 81220801-0400 |
| ISO500CRVAE | AL  | Viton  | 494   | 501 | 5.6 | 12 | 535 | 81220901-0500 |
| ISO63CRVSE  | 304 | Viton  | 67    | 70  | 3.9 | 8  | 94  | 81220103-0063 |
| ISO80CRVSE  | 304 | Viton  | 80    | 83  | 3.9 | 8  | 109 | 81220203-0080 |
| ISO100CRVSE | 304 | Viton  | 99    | 102 | 3.9 | 8  | 128 | 81220303-0100 |
| ISO160CRVSE | 304 | Viton  | 150   | 153 | 3.9 | 8  | 179 | 81220403-016  |
| ISO200CRVSE | 304 | Viton  | 210   | 213 | 3.9 | 8  | 238 | 81220503-0200 |
| ISO250CRVSE | 304 | Viton  | 257.5 | 261 | 3.9 | 8  | 287 | 81220603-0250 |
| ISO320CRVSE | 304 | Viton  | 312   | 318 | 5.6 | 12 | 344 | 81220703-0320 |
| ISO400CRVSE | 304 | Viton  | 394   | 400 | 5.6 | 12 | 446 | 81220803-0400 |
| ISO500CRVSE | 304 | Viton  | 494   | 501 | 5.6 | 12 | 535 | 81220903-0500 |

ISO| 支架+密封圈+外圈(欧标)

ISO Bracket + seal ring + outer ring




| 规格          | CR | O-Ring | A     | B   | C   | D  | E   | 产品编号          |
|-------------|----|--------|-------|-----|-----|----|-----|---------------|
| ISO63CRVAE  | AL | NBR    | 67    | 70  | 3.9 | 8  | 94  | 81230101-0063 |
| ISO80CRVAE  | AL | NBR    | 80    | 83  | 3.9 | 8  | 109 | 81230201-0080 |
| ISO100CRVAE | AL | NBR    | 99    | 102 | 3.9 | 8  | 128 | 81230301-0100 |
| ISO160CRVAE | AL | NBR    | 150   | 153 | 3.9 | 8  | 179 | 81230401-016  |
| ISO200CRVAE | AL | NBR    | 210   | 213 | 3.9 | 8  | 238 | 81230501-0200 |
| ISO250CRVAE | AL | NBR    | 257.5 | 261 | 3.9 | 8  | 287 | 81230601-0250 |
| ISO320CRVAE | AL | NBR    | 312   | 318 | 5.6 | 12 | 344 | 81230701-0320 |
| ISO400CRVAE | AL | NBR    | 394   | 400 | 5.6 | 12 | 446 | 81230801-0400 |
| ISO500CRVAE | AL | NBR    | 494   | 501 | 5.6 | 12 | 535 | 81230901-0500 |

|             |     |     |       |     |     |    |     |               |
|-------------|-----|-----|-------|-----|-----|----|-----|---------------|
| ISO63CRVSE  | 304 | NBR | 67    | 70  | 3.9 | 8  | 94  | 81230103-0063 |
| ISO80CRVSE  | 304 | NBR | 80    | 83  | 3.9 | 8  | 109 | 81230203-0080 |
| ISO100CRVSE | 304 | NBR | 99    | 102 | 3.9 | 8  | 128 | 81230303-0100 |
| ISO160CRVSE | 304 | NBR | 150   | 153 | 3.9 | 8  | 179 | 81230403-016  |
| ISO200CRVSE | 304 | NBR | 210   | 213 | 3.9 | 8  | 238 | 81230503-0200 |
| ISO250CRVSE | 304 | NBR | 257.5 | 261 | 3.9 | 8  | 287 | 81230603-0250 |
| ISO320CRVSE | 304 | NBR | 312   | 318 | 5.6 | 12 | 344 | 81230703-0320 |
| ISO400CRVSE | 304 | NBR | 394   | 400 | 5.6 | 12 | 446 | 81230803-0400 |
| ISO500CRVSE | 304 | NBR | 494   | 501 | 5.6 | 12 | 535 | 81230903-0500 |

ISO| 支架+密封圈+外圈(美标)

ISO Bracket + seal ring + outer ring




| 规格          | CR | O-Ring | A     | B     | C   | D  | E   | 产品编号          |
|-------------|----|--------|-------|-------|-----|----|-----|---------------|
| ISO63CRVAA  | AL | Viton  | 67    | 69.6  | 3.9 | 8  | 94  | 81240101-0063 |
| ISO80CRVAA  | AL | Viton  | 80    | 82.6  | 3.9 | 8  | 109 | 81240201-0080 |
| ISO100CRVAA | AL | Viton  | 99    | 101.6 | 3.9 | 8  | 128 | 81240301-0100 |
| ISO160CRVAA | AL | Viton  | 150   | 152.6 | 3.9 | 8  | 179 | 81240401-016  |
| ISO200CRVAA | AL | Viton  | 210   | 212.6 | 3.9 | 8  | 238 | 81240501-0200 |
| ISO250CRVAA | AL | Viton  | 257.5 | 260.6 | 3.9 | 8  | 287 | 81240601-0250 |
| ISO320CRVAA | AL | Viton  | 312   | 317.3 | 5.6 | 12 | 344 | 81240701-0320 |
| ISO400CRVAA | AL | Viton  | 394   | 399.2 | 5.6 | 12 | 446 | 81240801-0400 |
| ISO500CRVAA | AL | Viton  | 494   | 500.2 | 5.6 | 12 | 535 | 81240901-0500 |

|             |     |       |       |       |     |    |     |               |
|-------------|-----|-------|-------|-------|-----|----|-----|---------------|
| ISO63CRVSA  | 304 | Viton | 67    | 69.6  | 3.9 | 8  | 94  | 81240103-0063 |
| ISO80CRVSA  | 304 | Viton | 80    | 82.6  | 3.9 | 8  | 109 | 81240203-0080 |
| ISO100CRVSA | 304 | Viton | 99    | 101.6 | 3.9 | 8  | 128 | 81240303-0100 |
| ISO160CRVSA | 304 | Viton | 150   | 152.6 | 3.9 | 8  | 179 | 81240403-016  |
| ISO200CRVSA | 304 | Viton | 210   | 212.6 | 3.9 | 8  | 238 | 81240503-0200 |
| ISO250CRVSA | 304 | Viton | 257.5 | 260.6 | 3.9 | 8  | 287 | 81240603-0250 |
| ISO320CRVSA | 304 | Viton | 312   | 317.3 | 5.6 | 12 | 344 | 81240703-0320 |
| ISO400CRVSA | 304 | Viton | 394   | 399.2 | 5.6 | 12 | 446 | 81240803-0400 |
| ISO500CRVSA | 304 | Viton | 494   | 500.2 | 5.6 | 12 | 535 | 81240903-0500 |



ISO| 支架+密封圈+外圈(美标)


ISO Bracket + seal ring + outer ring



| 规格          | CR  | O-Ring | A     | B     | C   | D  | E   | 产品编号          |
|-------------|-----|--------|-------|-------|-----|----|-----|---------------|
| ISO63CRVAA  | AL  | NBR    | 67    | 69.6  | 3.9 | 8  | 94  | 81250101-0063 |
| ISO80CRVAA  | AL  | NBR    | 80    | 82.6  | 3.9 | 8  | 109 | 81250201-0080 |
| ISO100CRVAA | AL  | NBR    | 99    | 101.6 | 3.9 | 8  | 128 | 81250301-0100 |
| ISO160CRVAA | AL  | NBR    | 150   | 152.6 | 3.9 | 8  | 179 | 81250401-0160 |
| ISO200CRVAA | AL  | NBR    | 210   | 212.6 | 3.9 | 8  | 238 | 81250501-0200 |
| ISO250CRVAA | AL  | NBR    | 257.5 | 260.6 | 3.9 | 8  | 287 | 81250601-0250 |
| ISO320CRVAA | AL  | NBR    | 312   | 317.3 | 5.6 | 12 | 344 | 81250701-0320 |
| ISO400CRVAA | AL  | NBR    | 394   | 399.2 | 5.6 | 12 | 446 | 81250801-0400 |
| ISO500CRVAA | AL  | NBR    | 494   | 500.2 | 5.6 | 12 | 535 | 81250901-0500 |
| ISO63CRVSA  | 304 | NBR    | 67    | 69.6  | 3.9 | 8  | 94  | 81250103-0063 |
| ISO80CRVSA  | 304 | NBR    | 80    | 82.6  | 3.9 | 8  | 109 | 81250203-0080 |
| ISO100CRVSA | 304 | NBR    | 99    | 101.6 | 3.9 | 8  | 128 | 81250303-0100 |
| ISO160CRVSA | 304 | NBR    | 150   | 152.6 | 3.9 | 8  | 179 | 81250403-0160 |
| ISO200CRVSA | 304 | NBR    | 210   | 212.6 | 3.9 | 8  | 238 | 81250503-0200 |
| ISO250CRVSA | 304 | NBR    | 257.5 | 260.6 | 3.9 | 8  | 287 | 81250603-0250 |
| ISO320CRVSA | 304 | NBR    | 312   | 317.3 | 5.6 | 12 | 344 | 81250703-0320 |
| ISO400CRVSA | 304 | NBR    | 394   | 399.2 | 5.6 | 12 | 446 | 81250803-0400 |
| ISO500CRVSA | 304 | NBR    | 494   | 500.2 | 5.6 | 12 | 535 | 81250903-0500 |


ISO| 带网支架+密封圈+外圈(美标)

ISO Belt net support + sealing ring + outer ring



| 规格          | CR  | O-Ring | A     | B     | C   | D  | E   | 产品编号          |
|-------------|-----|--------|-------|-------|-----|----|-----|---------------|
| ISO63CRVAA  | AL  | Viton  | 67    | 69.6  | 3.9 | 8  | 94  | 81260101-0063 |
| ISO80CRVAA  | AL  | Viton  | 80    | 82.6  | 3.9 | 8  | 109 | 81260201-0080 |
| ISO100CRVAA | AL  | Viton  | 99    | 101.6 | 3.9 | 8  | 128 | 81260301-0100 |
| ISO160CRVAA | AL  | Viton  | 150   | 152.6 | 3.9 | 8  | 179 | 81260401-0160 |
| ISO200CRVAA | AL  | Viton  | 210   | 212.6 | 3.9 | 8  | 238 | 81260501-0200 |
| ISO250CRVAA | AL  | Viton  | 257.5 | 260.6 | 3.9 | 8  | 287 | 81260601-0250 |
| ISO320CRVAA | AL  | Viton  | 312   | 317.3 | 5.6 | 12 | 344 | 81260701-0320 |
| ISO400CRVAA | AL  | Viton  | 394   | 399.2 | 5.6 | 12 | 446 | 81260801-0400 |
| ISO500CRVAA | AL  | Viton  | 494   | 500.2 | 5.6 | 12 | 535 | 81260901-0500 |
| ISO63CRVSA  | 304 | Viton  | 67    | 69.6  | 3.9 | 8  | 94  | 81260103-0063 |
| ISO80CRVSA  | 304 | Viton  | 80    | 82.6  | 3.9 | 8  | 109 | 81260203-0080 |
| ISO100CRVSA | 304 | Viton  | 99    | 101.6 | 3.9 | 8  | 128 | 81260303-0100 |
| ISO160CRVSA | 304 | Viton  | 150   | 152.6 | 3.9 | 8  | 179 | 81260403-0160 |
| ISO200CRVSA | 304 | Viton  | 210   | 212.6 | 3.9 | 8  | 238 | 81260503-0200 |
| ISO250CRVSA | 304 | Viton  | 257.5 | 260.6 | 3.9 | 8  | 287 | 81260603-0250 |
| ISO320CRVSA | 304 | Viton  | 312   | 317.3 | 5.6 | 12 | 344 | 81260703-0320 |
| ISO400CRVSA | 304 | Viton  | 394   | 399.2 | 5.6 | 12 | 446 | 81260803-0400 |
| ISO500CRVSA | 304 | Viton  | 494   | 500.2 | 5.6 | 12 | 535 | 81260903-0500 |

ISO|带网支架+密封圈+外圈(美标)  
ISO Belt net support + sealing ring + outer ring




| 规格          | CR  | O-Ring | A     | B     | C   | D  | E   | 产品编号          |
|-------------|-----|--------|-------|-------|-----|----|-----|---------------|
| ISO63CRVAA  | AL  | NBR    | 67    | 69.6  | 3.9 | 8  | 94  | 81270101-0063 |
| ISO80CRVAA  | AL  | NBR    | 80    | 82.6  | 3.9 | 8  | 109 | 81270201-0080 |
| ISO100CRVAA | AL  | NBR    | 99    | 101.6 | 3.9 | 8  | 128 | 81270301-0100 |
| ISO160CRVAA | AL  | NBR    | 150   | 152.6 | 3.9 | 8  | 179 | 81270401-0160 |
| ISO200CRVAA | AL  | NBR    | 210   | 212.6 | 3.9 | 8  | 238 | 81270501-0200 |
| ISO250CRVAA | AL  | NBR    | 257.5 | 260.6 | 3.9 | 8  | 287 | 81270601-0250 |
| ISO320CRVAA | AL  | NBR    | 312   | 317.3 | 5.6 | 12 | 344 | 81270701-0320 |
| ISO400CRVAA | AL  | NBR    | 394   | 399.2 | 5.6 | 12 | 446 | 81270801-0400 |
| ISO500CRVAA | AL  | NBR    | 494   | 500.2 | 5.6 | 12 | 535 | 81270901-0500 |
| ISO63CRVSA  | 304 | NBR    | 67    | 69.6  | 3.9 | 8  | 94  | 81270103-0063 |
| ISO80CRVSA  | 304 | NBR    | 80    | 82.6  | 3.9 | 8  | 109 | 81270203-0080 |
| ISO100CRVSA | 304 | NBR    | 99    | 101.6 | 3.9 | 8  | 128 | 81270303-0100 |
| ISO160CRVSA | 304 | NBR    | 150   | 152.6 | 3.9 | 8  | 179 | 81270403-0160 |
| ISO200CRVSA | 304 | NBR    | 210   | 212.6 | 3.9 | 8  | 238 | 81270503-0200 |
| ISO250CRVSA | 304 | NBR    | 257.5 | 260.6 | 3.9 | 8  | 287 | 81270603-0250 |
| ISO320CRVSA | 304 | NBR    | 312   | 317.3 | 5.6 | 12 | 344 | 81270703-0320 |
| ISO400CRVSA | 304 | NBR    | 394   | 399.2 | 5.6 | 12 | 446 | 81270803-0400 |
| ISO500CRVSA | 304 | NBR    | 494   | 500.2 | 5.6 | 12 | 535 | 81270903-0500 |


CONVERSION  
FLANGE SERIES  
转换法兰系列









| 规格         | A   | B  | C     | D    | 产品编号           |
|------------|-----|----|-------|------|----------------|
| ISO63KA16  | 95  | 30 | 19.05 | 46.5 | 71110103-6316  |
| ISO63KA25  | 95  | 40 | 25.4  | 46.5 | 71110203-6325  |
| ISO63KA40  | 95  | 55 | 38.1  | 46.5 | 71110303-6340  |
| ISO63KA50  | 95  | 75 | 50.8  | 46.5 | 71110403-6350  |
| ISO80KA16  | 110 | 30 | 19.05 | 46.5 | 71110503-8016  |
| ISO80KA25  | 110 | 40 | 25.4  | 46.5 | 71110603-8025  |
| ISO80KA40  | 110 | 55 | 38.1  | 46.5 | 71110703-8040  |
| ISO80KA50  | 110 | 75 | 50.8  | 46.5 | 71110803-8050  |
| ISO100KA16 | 130 | 30 | 19.05 | 46.5 | 71110903-10016 |
| ISO100KA25 | 130 | 40 | 25.4  | 46.5 | 71111003-10025 |
| ISO100KA40 | 130 | 55 | 38.1  | 46.5 | 71111103-10040 |
| ISO100KA50 | 130 | 75 | 50.8  | 46.5 | 71111203-10050 |
| ISO160KA16 | 180 | 30 | 19.05 | 46.5 | 71111303-16016 |
| ISO160KA25 | 180 | 40 | 25.4  | 46.5 | 71111403-16025 |
| ISO160KA40 | 180 | 55 | 38.1  | 46.5 | 71111503-16040 |
| ISO160KA50 | 180 | 75 | 50.8  | 46.5 | 71111603-16050 |



| 规格      | A  | B  | C    | D     | 产品编号          |
|---------|----|----|------|-------|---------------|
| CF16K10 | 34 | 30 | 43   | 12.7  | 71120103-1610 |
| CF16K16 | 34 | 30 | 43   | 19.09 | 71120203-1616 |
| CF25K10 | 54 | 30 | 45   | 12.7  | 71120303-2510 |
| CF25K16 | 54 | 30 | 45   | 19.09 | 71120403-2516 |
| CF25K25 | 54 | 40 | 45   | 25.4  | 71120503-2525 |
| CF35K10 | 70 | 30 | 45.5 | 12.7  | 71120603-3510 |
| CF35K16 | 70 | 30 | 45.5 | 19.05 | 71120703-3516 |
| CF35K25 | 70 | 40 | 45.5 | 25.4  | 71120803-3525 |
| CF35K40 | 70 | 55 | 45.5 | 38.1  | 71120903-3540 |
| CF50K16 | 86 | 30 | 48   | 19.05 | 71121003-5016 |
| CF50K25 | 86 | 40 | 48   | 25.4  | 71121103-5025 |
| CF50K40 | 86 | 55 | 48   | 38.1  | 71121203-5040 |
| CF50K50 | 86 | 75 | 48   | 50.8  | 71121303-5050 |



| 规格          | A  | B | C | D | 产品编号 |
|-------------|----|---|---|---|------|
| ISO63C16A   | 95 |   |   |   |      |
| ISO63C35A   | 95 |   |   |   |      |
| ISO63C50A   | 95 |   |   |   |      |
| ISO63C63A   | 95 |   |   |   |      |
| ISO80C16A   | 11 |   |   |   |      |
| ISO80C35A   | 11 |   |   |   |      |
| ISO80C50A   | 11 |   |   |   |      |
| ISO100C16A  | 13 |   |   |   |      |
| ISO100C35A  | 13 |   |   |   |      |
| ISO100C50A  | 13 |   |   |   |      |
| ISO160C63A  | 18 |   |   |   |      |
| ISO160C100A | 18 |   |   |   |      |
| ISO160C150A | 18 |   |   |   |      |
| CF100S63A   | 15 |   |   |   |      |
| CF100S80A   | 15 |   |   |   |      |
| CF100S100A  | 15 |   |   |   |      |
| CF150S63A   | 20 |   |   |   |      |
| CF150S100A  | 20 |   |   |   |      |




| 规格         | A   | B   | C  | D     | 产品编号            |
|------------|-----|-----|----|-------|-----------------|
| CF35RA16   | 70  | 34  | 76 | 19.05 | 71140103-3516   |
| CF35RA25   | 70  | 54  | 76 | 25.4  | 71140203-3525   |
| CF63RA16   | 114 | 34  | 76 | 19.05 | 71140303-6316   |
| CF63RA25   | 114 | 54  | 76 | 25.4  | 71140403-6325   |
| CF63RA35   | 114 | 70  | 76 | 38.1  | 71140503-6335   |
| CF100RA35  | 152 | 70  | 76 | 38.1  | 71140603-10035  |
| CF100RA63  | 152 | 114 | 76 | 63.5  | 71140703-10063  |
| CF150RA35  | 202 | 70  | 76 | 38.1  | 71140803-15035  |
| CF150RA63  | 202 | 114 | 76 | 63.5  | 71140903-15063  |
| CF150RA100 | 202 | 152 | 76 | 101.6 | 71141003-150100 |



# CF- 变径松套


CF-Variable diameter loose sleeve



| 规格         | A   | B   | C  | D     | 产品编号            |
|------------|-----|-----|----|-------|-----------------|
| CF35RA16   | 70  | 34  | 76 | 19.05 | 71150103-3516   |
| CF35RA25   | 70  | 54  | 76 | 25.4  | 71150203-3525   |
| CF63RA16   | 114 | 34  | 76 | 19.05 | 71150303-6316   |
| CF63RA25   | 114 | 54  | 76 | 25.4  | 71150403-6325   |
| CF63RA35   | 114 | 70  | 76 | 38.1  | 71150503-6335   |
| CF100RA35  | 152 | 70  | 76 | 38.1  | 71150603-10035  |
| CF100RA63  | 152 | 114 | 76 | 63.5  | 71150703-10063  |
| CF150RA35  | 202 | 70  | 76 | 38.1  | 71150803-15035  |
| CF150RA63  | 202 | 114 | 76 | 63.5  | 71150903-15063  |
| CF150RA100 | 202 | 152 | 76 | 101.6 | 71151003-150100 |

# KF-变径接头

KF reducing joint




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格       | A  | B  | C  | 产品编号           |
|----------|----|----|----|----------------|
| KF25RA16 | 40 | 30 | 40 | 71160103-3516  |
| KF40RA16 | 55 | 30 | 40 | 71160203-3525  |
| KF40RA25 | 55 | 40 | 40 | 71160303-6316  |
| KF50RA16 | 75 | 30 | 40 | 71160403-6325  |
| KF50RA25 | 75 | 40 | 40 | 71160503-6335  |
| KF50RA40 | 75 | 55 | 40 | 71160603-10035 |


# ISO变径接头

ISO reducing joint




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格          | A   | B   | C  | D     | 产品编号           |
|-------------|-----|-----|----|-------|----------------|
| ISO80RA63   | 110 | 95  | 63 | 63.5  | 71170103-3516  |
| ISO100RA63  | 130 | 96  | 63 | 63.5  | 71170203-3525  |
| ISO100RA80  | 130 | 110 | 63 | 76.2  | 71170303-6316  |
| ISO160RA63  | 180 | 95  | 63 | 63.5  | 71170403-6325  |
| ISO160RA80  | 180 | 110 | 63 | 76.2  | 71170503-6335  |
| ISO160RA100 | 180 | 130 | 63 | 101.6 | 71170603-10035 |



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面


| 规格         | A  | B    | C  | VCR  | 产品编号          |
|------------|----|------|----|------|---------------|
| KF16MVCR6  | 30 | 4.4  | 44 | 1/4" | 71180103-1606 |
| KF16MVCR13 | 30 | 10.4 | 44 | 1/2" | 71180203-1613 |
| KF25MVCR6  | 40 | 4.4  | 44 | 1/4" | 71180303-2506 |
| KF25MVCR13 | 40 | 10.4 | 44 | 1/2" | 71180403-2513 |
| KF40MVCR6  | 55 | 4.4  | 44 | 1/4" | 71180503-4006 |
| KF40MVCR13 | 55 | 10.4 | 44 | 1/2" | 71180603-4013 |
| KF50MVCR6  | 75 | 4.4  | 44 | 1/4" | 71180703-5006 |
| KF50MVCR13 | 75 | 10.4 | 44 | 1/2" | 71180803-5013 |



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面


| 规格         | A  | B    | C  | VCR  | 产品编号          |
|------------|----|------|----|------|---------------|
| KF16MVCR6  | 30 | 4.4  | 44 | 1/4" | 71190103-1606 |
| KF16MVCR13 | 30 | 10.4 | 46 | 1/2" | 71190203-1613 |
| KF25MVCR6  | 40 | 4.4  | 44 | 1/4" | 71190303-2506 |
| KF25MVCR13 | 40 | 10.4 | 46 | 1/2" | 71190403-2513 |
| KF40MVCR6  | 55 | 4.4  | 44 | 1/4" | 71190503-4006 |
| KF40MVCR13 | 55 | 10.4 | 46 | 1/2" | 71190603-4013 |
| KF50MVCR6  | 75 | 4.4  | 44 | 1/4" | 71190703-5006 |
| KF50MVCR13 | 75 | 10.4 | 46 | 1/2" | 71190803-5013 |





材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A  | B  | C  | VCR  | 产品编号          |
|-----------|----|----|----|------|---------------|
| KF16SWA6  | 30 | 5  | 49 | 1/4" | 71200103-1606 |
| KF16SWA13 | 30 | 11 | 49 | 1/2" | 71200203-1613 |
| KF25SWA6  | 40 | 5  | 49 | 1/4" | 71200303-2506 |
| KF25SWA13 | 40 | 11 | 49 | 1/2" | 71200403-2513 |
| KF40SWA6  | 55 | 5  | 49 | 1/4" | 71200503-4006 |
| KF40SWA13 | 55 | 11 | 49 | 1/2" | 71200603-4013 |
| KF50SWA6  | 75 | 5  | 49 | 1/4" | 71200703-5006 |
| KF50SWA13 | 75 | 11 | 49 | 1/2" | 71200803-5013 |
|           |    |    |    |      |               |




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A  | B  | C  | 气管外径 | 产品编号          |
|-----------|----|----|----|------|---------------|
| KF10RHA8  | 30 | 8  | 40 | 8    | 71210103-1008 |
| KF10RHA10 | 30 | 10 | 40 | 10   | 71210203-1010 |
| KF16RHA6  | 30 | 6  | 40 | 6    | 71210303-1606 |
| KF16RHA8  | 30 | 8  | 40 | 8    | 71210403-1608 |
| KF16RHA10 | 30 | 10 | 40 | 10   | 71210503-1610 |
| KF16RHA13 | 30 | 13 | 40 | 13   | 71210603-1613 |
| KF16RHA16 | 30 | 16 | 40 | 16   | 71210703-1616 |
| KF16RHA20 | 30 | 20 | 40 | 20   | 71210803-1620 |
| KF25RHA6  | 40 | 6  | 40 | 6    | 71210903-2506 |
| KF25RHA8  | 40 | 8  | 40 | 8    | 71211003-2508 |
| KF25RHA10 | 40 | 10 | 40 | 10   | 71211103-2510 |
| KF25RHA13 | 40 | 13 | 40 | 13   | 71211203-2513 |
| KF25RHA16 | 40 | 16 | 40 | 16   | 71211303-2516 |
| KF25RHA20 | 40 | 20 | 40 | 20   | 71211403-2520 |
| KF25RHA25 | 40 | 25 | 40 | 25   | 71211503-2525 |
| KF40RHA16 | 55 | 16 | 40 | 16   | 71211603-4016 |
| KF40RHA20 | 55 | 20 | 40 | 20   | 71211703-4020 |
| KF40RHA25 | 55 | 25 | 40 | 25   | 71211803-4025 |
| KF40RHA32 | 55 | 32 | 40 | 32   | 71211903-4032 |
| KF40RHA40 | 55 | 40 | 40 | 40   | 71212003-4040 |
| KF50RHA25 | 75 | 25 | 40 | 25   | 71212103-5025 |
| KF50RHA50 | 75 | 50 | 40 | 50   | 71212203-5050 |

# KF-铣边外丝

— KF-Milling outer thread




材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A  | B    | C  | 气管外径   | 产品编号          |
|-----------|----|------|----|--------|---------------|
| KF16MPT1  | 30 | 9.5  | 40 | 1/8"PT | 71220103-1601 |
| KF16MPT2  | 30 | 12.5 | 40 | 1/4"PT | 71220203-1602 |
| KF16MPT3  | 30 | 16   | 40 | 3/8"PT | 71220303-1603 |
| KF16MPT4  | 30 | 20   | 40 | 1/2"PT | 71220403-1604 |
| KF25MPT2  | 40 | 12.5 | 40 | 1/4"PT | 71220503-2502 |
| KF25MPT3  | 40 | 16   | 40 | 3/8"PT | 71220603-2503 |
| KF25MPT4  | 40 | 20   | 40 | 1/2"PT | 71220703-2504 |
| KF25MPT6  | 40 | 25.5 | 40 | 3/4"PT | 71220803-2506 |
| KF25MPT10 | 40 | 32   | 40 | 1"PT   | 71220903-2510 |
| KF40MPT4  | 55 | 20   | 40 | 1/2"PT | 71221003-4004 |
| KF40MPT6  | 55 | 25.5 | 40 | 3/4"PT | 71221103-4006 |
| KF40MPT10 | 55 | 32   | 40 | 1"PT   | 71221203-4010 |
| KF40MPT12 | 55 | 40.5 | 40 | 1.2"PT | 71221303-4012 |
| KF40MPT15 | 55 | 46   | 40 | 1.5"PT | 71221403-4015 |
| KF50MPT15 | 75 | 46   | 40 | 1.5"PT | 71221503-5015 |
| KF50MPT20 | 75 | 58   | 40 | 2"PT   | 71221603-5020 |

# KF-铣边内丝

— KF milling inner thread



材料：304，304L，316L 表面处理有：喷砂、亚光、镜面

| 规格        | A  | B    | C  | 螺纹      | 产品编号          |
|-----------|----|------|----|---------|---------------|
| KF16FPT1  | 30 | 8.8  | 25 | 1/8"PT  | 71230103-1601 |
| KF16FPT2  | 30 | 11.7 | 25 | 1/4"PT  | 71230203-1602 |
| KF16FPT3  | 30 | 15.2 | 25 | 3/8"PT  | 71230303-1603 |
| KF16FPT4  | 30 | 18.8 | 25 | 1/2"PT  | 71230403-1604 |
| KF16FPT14 | 30 | 12.5 | 25 | M14*1.5 | 71230503-1614 |
| KF16FPT20 | 30 | 18.5 | 25 | M20*1.5 | 71230603-1620 |
| KF25FPT2  | 40 | 11.7 | 25 | 1/4"PT  | 71230703-2502 |
| KF25FPT3  | 40 | 15.2 | 25 | 3/8"PT  | 71230803-2503 |
| KF25FPT4  | 40 | 18.8 | 25 | 1/2"PT  | 71230903-2504 |
| KF25FPT6  | 40 | 24.3 | 25 | 3/4"PT  | 71231003-2506 |
| KF25FPT10 | 40 | 30.5 | 25 | 1"PT    | 71231103-2510 |
| KF25FPT14 | 40 | 12.5 | 25 | M14*1.5 | 71231203-2514 |
| KF25FPT20 | 40 | 18.5 | 25 | M20*1.5 | 71231303-2520 |
| KF40FPT4  | 55 | 18.8 | 25 | 1/2"PT  | 71231403-4004 |
| KF40FPT6  | 55 | 15.2 | 25 | 3/4"PT  | 71231503-4006 |
| KF40FPT10 | 55 | 30.5 | 25 | 1"PT    | 71231603-4010 |
| KF40FPT12 | 55 | 39.2 | 25 | 1.2"PT  | 71231703-4012 |
| KF40FPT15 | 55 | 45.1 | 25 | 1.5"PT  | 71231803-4015 |
| KF50FPT15 | 75 | 45.1 | 25 | 1.5"PT  | 71231903-5015 |
| KF50FPT20 | 75 | 56.9 | 25 | 2"PT    | 71232003-5020 |



# Vacuum valve series


## 真空阀门系列

KF真空90°挡板阀


阀门外观漂亮，内外均采用  
高强度镜面抛光工艺  
波纹管轴封  
有助于紧密压缩，从而增强阀门的密封性








| 规格     | 标准 | O.D.  | A     | B     | C     | D     | 产品编号          |
|--------|----|-------|-------|-------|-------|-------|---------------|
| GD-J16 | 美标 | 19.05 | 50.8  | 150   | 134   | 63    | 91110100-0016 |
| GD-J25 | 美标 | 25.4  | 47.75 | 147   | 131   | 63    | 91110200-0025 |
| GD-J40 | 美标 | 38.1  | 57.15 | 174   | 155   | 78    | 91110300-0040 |
| GD-J50 | 美标 | 50.8  | 82.55 | 220   | 200   | 88    | 91110400-0050 |
| GD-J63 | 美标 | 63.5  | 76.2  | 242.4 | 217.4 | 101.6 | 91110500-0063 |
| GD-J80 | 美标 | 76.2  | 82.55 | 273.4 | 243.4 | 114   | 91110600-0080 |
|        |    |       |       |       |       |       |               |
| GD-J16 | 欧标 | 19.05 | 36.2  | 139.2 | 123.2 | 63    | 91110700-0016 |
| GD-J25 | 欧标 | 25.4  | 46.2  | 149.2 | 133.2 | 63    | 91110800-0025 |
| GD-J40 | 欧标 | 38.1  | 61.2  | 181.7 | 162.7 | 78    | 91110900-0040 |
| GD-J50 | 欧标 | 50.8  | 66.2  | 207.4 | 187.4 | 88    | 91111000-0050 |
| GD-J63 | 欧标 | 63.5  | 81.5  | 254.2 | 229.2 | 101.6 | 91111100-0063 |
| GD-J80 | 欧标 | 76.2  | 91.5  | 288.9 | 258.9 | 114   | 91111200-0080 |




| 规格        | 标准 | O.D.  | A    | B   | C     | D     | E     | 产品编号          |
|-----------|----|-------|------|-----|-------|-------|-------|---------------|
| GD-J16-KF | 美标 | 19.05 | 50.8 | 30  | 153.8 | 137.8 | 63    | 91120100-0016 |
| GD-J25-KF | 美标 | 25.4  | 47.8 | 40  | 150.8 | 134.8 | 63    | 91120200-0025 |
| GD-J40-KF | 美标 | 38.1  | 57.2 | 55  | 177.7 | 158.7 | 78    | 91120300-0040 |
| GD-J50-KF | 美标 | 50.8  | 82.6 | 75  | 223.8 | 203.8 | 88    | 91120400-0050 |
| GD-J63-KF | 美标 | 63.5  | 76.2 | 87  | 246.2 | 221.2 | 101.6 | 91120500-0063 |
| GD-J80-KF | 美标 | 76.2  | 82.6 | 114 | 279.9 | 249.9 | 114   | 91120600-0080 |
|           |    |       |      |     |       |       |       |               |
| GD-J16-KF | 欧标 | 19.05 | 40   | 30  | 143   | 127   | 63    | 91120700-0016 |
| GD-J25-KF | 欧标 | 25.4  | 50   | 40  | 153   | 137   | 63    | 91120800-0025 |
| GD-J40-KF | 欧标 | 38.1  | 65   | 55  | 185.5 | 166.5 | 78    | 91120900-0040 |
| GD-J50-KF | 欧标 | 50.8  | 70   | 75  | 211.2 | 191.2 | 88    | 91121000-0050 |
| GD-J63-KF | 欧标 | 63.5  | 88   | 87  | 258   | 233   | 101.6 | 91121100-0063 |
| GD-J80-KF | 欧标 | 76.2  | 98   | 114 | 295.4 | 265.4 | 114   | 91121200-0080 |






| 规格          | 标准 | O.D.  | A   | B   | C   | D   | E     | 产品编号          |
|-------------|----|-------|-----|-----|-----|-----|-------|---------------|
| GD-J63-ISO  | 国标 | 63.5  | 88  | 95  | 233 | 250 | 101.6 | 91130100-0063 |
| GD-J80-ISO  | 国标 | 76.2  | 98  | 110 | 265 | 285 | 114   | 91130200-0080 |
| GD-J100-ISO | 国标 | 101.6 | 108 | 130 | 285 | 313 | 145.8 | 91130300-0100 |
| GD-J160-ISO | 国标 | 152.4 | 138 | 180 | 375 | 412 | 204   | 91130400-0160 |
| GD-J200-ISO | 国标 | 204   | 200 | 240 | 435 | 487 | 254   | 91130500-0200 |
| GD-J250-ISO | 国标 | 254   | 208 | 290 | 495 | 560 | 306   | 91130600-0250 |

| 法兰规格   | F   | G  | H*No | P.C.D | I     | J     | T   |
|--------|-----|----|------|-------|-------|-------|-----|
| ISO63  | 130 | 12 | 9*4  | 110   | 75    | 87.6  | 3.7 |
| ISO80  | 145 | 12 | 9*8  | 125   | 88.5  | 101.1 | 3.7 |
| ISO100 | 165 | 12 | 9*8  | 145   | 107.5 | 120.1 | 3.7 |
| ISO160 | 225 | 16 | 11*8 | 200   | 160   | 172.8 | 3.7 |
| ISO200 | 285 | 16 | 11*8 | 260   | 224   | 236.6 | 3.7 |
| ISO250 | 335 | 16 | 11*8 | 310   | 266   | 278.6 | 3.7 |




| 规格        | O.D.  | A    | B   | C     | D     | E     | 产品编号          |
|-----------|-------|------|-----|-------|-------|-------|---------------|
| GD-J16-CF | 19.05 | 54.1 | 34  | 153.3 | 137.3 | 63    | 91140100-0016 |
| GD-J25-CF | 25.4  | 52.8 | 54  | 152.0 | 136   | 63    | 91140200-0025 |
| GD-J35-CF | 38.1  | 62.7 | 70  | 179.5 | 160.5 | 78    | 91140300-0035 |
| GD-J50-CF | 50.8  | 90.6 | 86  | 228.0 | 208   | 88    | 91140400-0050 |
| GD-J63-CF | 63.5  | 85.7 | 114 | 251.9 | 226.9 | 101.6 | 91140500-0063 |
| GD-J80-CF | 76.2  | 92.6 | 130 | 283.4 | 253.4 | 114   | 91140600-0080 |

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |



| 规格     | 标准 | O.D.  | A     | C      | D     | 产品编号          |
|--------|----|-------|-------|--------|-------|---------------|
| GD-J16 | 美标 | 19.05 | 47    | 159.6  | 63    | 91150100-0016 |
| GD-J25 | 美标 | 25.4  | 44.00 | 143.95 | 63    | 91150200-0025 |
| GD-J40 | 美标 | 38.1  | 53.35 | 175.55 | 78    | 91150300-0040 |
| GD-J50 | 美标 | 50.8  | 78.75 | 214.3  | 88    | 91150400-0050 |
| GD-J63 | 美标 | 63.5  | 72.4  | 235.2  | 101.6 | 91150500-0063 |
| GD-J80 | 美标 | 76.2  | 76.1  | 274.3  | 114   | 91150600-0080 |
|        |    |       |       |        |       |               |
| GD-J16 | 欧标 | 19.05 | 36.2  | 145.0  | 63    | 91150700-0016 |
| GD-J25 | 欧标 | 25.4  | 46.2  | 146.2  | 63    | 91150800-0025 |
| GD-J40 | 欧标 | 38.1  | 61.2  | 183.4  | 78    | 91150900-0040 |
| GD-J50 | 欧标 | 50.8  | 66.2  | 198.3  | 88    | 91151000-0050 |
| GD-J63 | 欧标 | 63.5  | 84.2  | 247.0  | 101.6 | 91151100-0063 |
| GD-J80 | 欧标 | 76.2  | 91.5  | 289.7  | 114   | 91151200-0080 |




| 规格         | 标准 | O.D.  | A     | B   | C      | D     | 产品编号          |
|------------|----|-------|-------|-----|--------|-------|---------------|
| GDQ-J16-KF | 美标 | 19.05 | 50.8  | 30  | 159.6  | 63    | 91160100-0016 |
| GDQ-J25-KF | 美标 | 25.4  | 47.75 | 40  | 143.95 | 63    | 91160200-0025 |
| GDQ-J40-KF | 美标 | 38.1  | 57.15 | 55  | 175.55 | 78    | 91160300-0040 |
| GDQ-J50-KF | 美标 | 50.8  | 82.55 | 75  | 214.3  | 88    | 91160400-0050 |
| GDQ-J63-KF | 美标 | 63.5  | 76.2  | 87  | 235.2  | 101.6 | 91160500-0063 |
| GDQ-J80-KF | 美标 | 76.2  | 82.55 | 114 | 274.25 | 114   | 91160600-0080 |
|            |    |       |       |     |        |       |               |
| GDQ-J16-KF | 欧标 | 19.05 | 40    | 30  | 145.0  | 63    | 91160700-0016 |
| GDQ-J25-KF | 欧标 | 25.4  | 50    | 40  | 146.2  | 63    | 91160800-0025 |
| GDQ-J40-KF | 欧标 | 38.1  | 65    | 55  | 183.4  | 78    | 91160900-0040 |
| GDQ-J50-KF | 欧标 | 50.8  | 70    | 75  | 198.3  | 88    | 91161000-0050 |
| GDQ-J63-KF | 欧标 | 63.5  | 88    | 87  | 247.0  | 101.6 | 91161100-0063 |
| GDQ-J80-KF | 欧标 | 76.2  | 98    | 114 | 289.7  | 114   | 91161200-0080 |



GDQ | 气动薄型角阀-ISO

GDQ Pneumatic thin angle valve - ISO




- 1、ISO法兰外面可加活套法兰，活套法兰尺寸见ISO活套法兰页。
- 2、法兰密封方式有附ISO中心支架和法兰面带密封圈槽两种，选其一。

| 规格           | 标准 | O.D.  | A   | B   | C   | D     | 产品编号          |
|--------------|----|-------|-----|-----|-----|-------|---------------|
| GDQ-J63-ISO  | 国标 | 63.5  | 88  | 95  | 247 | 101.6 | 91170100-0063 |
| GDQ-J80-ISO  | 国标 | 76.2  | 98  | 110 | 290 | 114   | 91170200-0080 |
| GDQ-J100-ISO | 国标 | 101.6 | 108 | 130 | 334 | 145.8 | 91170300-0100 |
| GDQ-J160-ISO | 国标 | 152.4 | 138 | 180 | 455 | 204   | 91170400-0160 |
| GDQ-J200-ISO | 国标 | 204   | 200 | 240 | 609 | 254   | 91170500-0200 |
| GDQ-J250-ISO | 国标 | 254   | 208 | 290 | 737 | 306   | 91170600-0250 |

| 法兰规格   | F   | G  | H*No | P.C.D | I     | J     | T   |
|--------|-----|----|------|-------|-------|-------|-----|
| ISO63  | 130 | 12 | 9*4  | 110   | 75    | 87.6  | 3.7 |
| ISO80  | 145 | 12 | 9*8  | 125   | 88.5  | 101.1 | 3.7 |
| ISO100 | 165 | 12 | 9*8  | 145   | 107.5 | 120.1 | 3.7 |
| ISO160 | 225 | 16 | 11*8 | 200   | 160   | 172.8 | 3.7 |
| ISO200 | 285 | 16 | 11*8 | 260   | 224   | 236.6 | 3.7 |
| ISO250 | 335 | 16 | 11*8 | 310   | 266   | 278.6 | 3.7 |

GDQ | 气动薄型角阀-CF


GDQ Pneumatic thin angle valve - CF



| 规格         | O.D.  | A    | B   | C     | D     | 产品编号          |
|------------|-------|------|-----|-------|-------|---------------|
| GDQ-J16-CF | 19.05 | 54.1 | 34  | 160.1 | 63    | 91180100-0016 |
| GDQ-J25-CF | 25.4  | 52.8 | 54  | 145.2 | 63    | 91180200-0025 |
| GDQ-J35-CF | 38.1  | 62.7 | 70  | 177.3 | 78    | 91180300-0035 |
| GDQ-J50-CF | 50.8  | 90.6 | 86  | 218.5 | 88    | 91180400-0050 |
| GDQ-J63-CF | 63.5  | 85.7 | 114 | 240.9 | 101.6 | 91180500-0063 |
| GDQ-J80-CF | 76.2  | 92.6 | 130 | 277.8 | 114   | 91180600-0080 |

GDQ | 气动圆缸角阀-接管

GDQ Pneumatic cylinder angle valve nozzle




| 规格      | 标准 | O.D.  | A     | C     | D  | 产品编号          |
|---------|----|-------|-------|-------|----|---------------|
| GDQ-J16 | 美标 | 19.05 | 47    | 155.8 | 63 | 91190100-0016 |
| GDQ-J25 | 美标 | 25.4  | 44    | 140.2 | 63 | 91190200-0025 |
| GDQ-J40 | 美标 | 38.1  | 53.35 | 171.8 | 78 | 91190300-0040 |
| GDQ-J50 | 美标 | 50.8  | 78.75 | 210.5 | 88 | 91190400-0050 |

|         |    |       |      |       |    |               |
|---------|----|-------|------|-------|----|---------------|
| GDQ-J16 | 欧标 | 19.05 | 36.2 | 141.2 | 63 | 91190500-0016 |
| GDQ-J25 | 欧标 | 25.4  | 46.2 | 142.4 | 63 | 91190600-0025 |
| GDQ-J40 | 欧标 | 38.1  | 61.2 | 179.6 | 78 | 91190700-0040 |
| GDQ-J50 | 欧标 | 50.8  | 66.2 | 194.5 | 88 | 91190800-0050 |

GDQ | 气动圆缸角阀-KF


GDQ Pneumatic cylinder angle valve - KF



| 规格         | 标准 | O.D.  | A     | B  | C      | D  | 产品编号          |
|------------|----|-------|-------|----|--------|----|---------------|
| GDQ-J16-KF | 美标 | 19.05 | 50.8  | 30 | 154.1  | 63 | 91200100-0016 |
| GDQ-J25-KF | 美标 | 25.4  | 47.75 | 40 | 157.45 | 63 | 91200200-0025 |
| GDQ-J40-KF | 美标 | 38.1  | 57.15 | 55 | 198.35 | 78 | 91200300-0040 |
| GDQ-J50-KF | 美标 | 50.8  | 82.55 | 75 | 277.75 | 88 | 91200400-0050 |
|            |    |       |       |    |        |    |               |
| GDQ-J16-KF | 欧标 | 19.05 | 40    | 30 | 143.3  | 63 | 91200500-0016 |
| GDQ-J25-KF | 欧标 | 25.4  | 50    | 40 | 157.7  | 63 | 91200600-0025 |
| GDQ-J40-KF | 欧标 | 38.1  | 65    | 55 | 206.2  | 78 | 91200700-0040 |
| GDQ-J50-KF | 欧标 | 50.8  | 70    | 75 | 265.2  | 88 | 91200800-0050 |

GDQ | 气动圆缸角阀-CF


GDQ Pneumatic cylinder angle valve - CF



| 规格         | O.D.  | A    | B  | C     | D  | 产品编号          |
|------------|-------|------|----|-------|----|---------------|
| GDQ-J16-CF | 19.05 | 54.1 | 34 | 154.6 | 63 | 91210100-0016 |
| GDQ-J25-CF | 25.4  | 52.8 | 54 | 158.9 | 63 | 91210200-0025 |
| GDQ-J35-CF | 38.1  | 62.7 | 70 | 207.9 | 78 | 91210300-0035 |
| GDQ-J50-CF | 50.8  | 90.6 | 86 | 282.0 | 88 | 91210400-0050 |

GD | 手动Y型阀-接管


GD Manual y valve - nozzle



| 规格     | 标准 | O.D.  | A     | C     | D     | E  | 产品编号          |
|--------|----|-------|-------|-------|-------|----|---------------|
| GD-Y16 | 美标 | 19.05 | 94    | 102.4 | 109.5 | 63 | 91220100-0016 |
| GD-Y25 | 美标 | 25.4  | 99.1  | 102.4 | 109.5 | 63 | 91220200-0025 |
| GD-Y40 | 美标 | 38.1  | 122.4 | 121.7 | 132.3 | 78 | 91220300-0040 |
| GD-Y50 | 美标 | 50.8  | 170.2 | 142.8 | 156.9 | 88 | 91220400-0050 |

GD | 手动Y型阀-KF

GD Manual y-valve-kf




| 规格        | 标准 | O.D.  | A     | B  | C     | D     | E  | 产品编号          |
|-----------|----|-------|-------|----|-------|-------|----|---------------|
| GD-Y16-KF | 美标 | 19.05 | 101.6 | 30 | 102.4 | 109.5 | 63 | 91230100-0016 |
| GD-Y25-KF | 美标 | 25.4  | 106.7 | 40 | 102.4 | 109.5 | 63 | 91230200-0025 |
| GD-Y40-KF | 美标 | 38.1  | 130.0 | 55 | 121.7 | 132.3 | 78 | 91230300-0040 |
| GD-Y50-KF | 美标 | 50.8  | 177.8 | 75 | 142.8 | 156.9 | 88 | 91230400-0050 |





GD | 手动Y型阀-CF


GD Manual y-valve-cf



| 规格        | O.D.  | A     | B  | C     | D     | E  | 产品编号          |
|-----------|-------|-------|----|-------|-------|----|---------------|
| GD-Y16-CF | 19.05 | 102.6 | 34 | 102.4 | 109.5 | 63 | 91240100-0016 |
| GD-Y25-CF | 25.4  | 109.1 | 54 | 102.4 | 109.5 | 63 | 91240200-0025 |
| GD-Y40-CF | 38.1  | 133.4 | 70 | 121.7 | 132.3 | 78 | 91240300-0040 |
| GD-Y50-CF | 50.8  | 186.2 | 86 | 142.8 | 156.9 | 88 | 91240400-0050 |

GDQ | 气动薄型Y型阀-接管


GDQ Pneumatic thin Y-type valve - nozzle



| 规格      | 标准 | O.D.  | A     | C     | D  | 产品编号          |
|---------|----|-------|-------|-------|----|---------------|
| GDQ-Y16 | 美标 | 19.05 | 94    | 99.1  | 63 | 91250100-0016 |
| GDQ-Y25 | 美标 | 25.4  | 99.1  | 99.1  | 63 | 91250200-0025 |
| GDQ-Y40 | 美标 | 38.1  | 122.4 | 136.2 | 78 | 91250300-0040 |
| GDQ-Y50 | 美标 | 50.8  | 170.2 | 154   | 88 | 91250400-0050 |

GDQ | 气动薄型Y型阀-KF


GDQ Pneumatic thin Y-type valve - KF



| 规格      | 标准 | O.D.  | A     | B  | C     | D  | 产品编号          |
|---------|----|-------|-------|----|-------|----|---------------|
| GDQ-Y16 | 美标 | 19.05 | 101.6 | 30 | 99.1  | 63 | 91260100-0016 |
| GDQ-Y25 | 美标 | 25.4  | 106.7 | 40 | 99.1  | 63 | 91260200-0025 |
| GDQ-Y40 | 美标 | 38.1  | 130.0 | 55 | 136.2 | 78 | 91260300-0040 |
| GDQ-Y50 | 美标 | 50.8  | 177.8 | 75 | 154   | 88 | 91260400-0050 |

GDQ | 气动薄型Y型阀-CF


GDQ Pneumatic thin Y-type valve - CF



| 规格         | O.D.  | A      | B  | C     | D  | 产品编号          |
|------------|-------|--------|----|-------|----|---------------|
| GDQ-Y16-KF | 19.05 | 102.6  | 34 | 99.1  | 63 | 91270100-0016 |
| GDQ-Y25-KF | 25.4  | 109.1  | 54 | 99.1  | 63 | 91270200-0025 |
| GDQ-Y40-KF | 38.1  | 133.40 | 70 | 136.2 | 78 | 91270300-0040 |
| GDQ-Y50-KF | 50.8  | 186.20 | 86 | 154   | 88 | 91270400-0050 |

GDQ | 气动圆缸Y型阀-接管

GDQ Pneumatic cylinder Y-type valve nozzle



| 规格      | 标准 | O.D.  | A     | C     | D  | 产品编号          |
|---------|----|-------|-------|-------|----|---------------|
| GDQ-Y16 | 美标 | 19.05 | 94    | 107.4 | 63 | 91280100-0016 |
| GDQ-Y25 | 美标 | 25.4  | 99.1  | 107.4 | 63 | 91280200-0025 |
| GDQ-Y40 | 美标 | 38.1  | 122.4 | 148.9 | 78 | 91280300-0040 |
| GDQ-Y50 | 美标 | 50.8  | 170.2 | 184.7 | 88 | 91280400-0050 |

GDQ | 气动圆缸Y型阀-KF


GDQ Pneumatic cylinder Y-type valve KF



| 规格         | 标准 | O.D.  | A     | B  | C     | D  | 产品编号          |
|------------|----|-------|-------|----|-------|----|---------------|
| GDQ-Y16-KF | 美标 | 19.05 | 101.6 | 30 | 107.4 | 63 | 91290100-0016 |
| GDQ-Y25-KF | 美标 | 25.4  | 106.7 | 40 | 107.4 | 63 | 91290200-0025 |
| GDQ-Y40-KF | 美标 | 38.1  | 130.0 | 55 | 148.9 | 78 | 91290300-0040 |
| GDQ-Y50-KF | 美标 | 50.8  | 177.8 | 75 | 184.7 | 88 | 91290400-0050 |

GDQ | 气动圆缸Y型阀-KF


GDQ Pneumatic cylinder Y-type valve CF



| 规格         | 标准 | O.D.  | A     | B  | C     | D  | 产品编号          |
|------------|----|-------|-------|----|-------|----|---------------|
| GDQ-Y16-KF | 美标 | 19.05 | 102.6 | 34 | 107.4 | 63 | 91300100-0016 |
| GDQ-Y25-KF | 美标 | 25.4  | 109.1 | 54 | 107.4 | 63 | 91300200-0025 |
| GDQ-Y40-KF | 美标 | 38.1  | 133.4 | 70 | 148.9 | 78 | 91300300-0040 |
| GDQ-Y50-CF | 美标 | 50.8  | 186.2 | 86 | 184.7 | 88 | 91300400-0050 |

手动Z型阀-KF

Manual z-valve-KF




| 规格        | 标准 | O.D.C | A  | B  | C  | D   | E   | F   | G  | 产品编号          |
|-----------|----|-------|----|----|----|-----|-----|-----|----|---------------|
| GD-Z16-KF | 国标 | 19.05 | 40 | 30 | 28 | 48  | 135 | 154 | 63 | 91310100-0016 |
| GD-Z25-KF | 国标 | 25.4  | 50 | 40 | 35 | 58  | 141 | 160 | 63 | 91310200-0025 |
| GD-Z40-KF | 国标 | 38.1  | 65 | 55 | 48 | 77  | 178 | 197 | 78 | 91310300-0040 |
| GD-Z50-KF | 国标 | 50.8  | 70 | 75 | 66 | 101 | 224 | 244 | 88 | 91311400-0050 |



手动Z型阀-CF


Manual z-valve-CF



| 规格        | 标准 | O.D.C | A    | B  | C  | D   | E   | F   | G  | 产品编号          |
|-----------|----|-------|------|----|----|-----|-----|-----|----|---------------|
| GD-Z16-CF | 国标 | 19.05 | 54.1 | 34 | 28 | 48  | 135 | 154 | 63 | 91320100-0016 |
| GD-Z25-CF | 国标 | 25.4  | 52.8 | 54 | 35 | 58  | 141 | 160 | 63 | 91320200-0025 |
| GD-Z35-CF | 国标 | 38.1  | 62.7 | 70 | 48 | 77  | 178 | 197 | 78 | 91320300-0035 |
| GD-Z50-CF | 国标 | 50.8  | 90.6 | 86 | 66 | 101 | 224 | 244 | 88 | 91320400-0050 |

气动Z型阀-KF


Pneumatic z-valve-KF



| 规格         | 标准 | O.D.C | A  | B  | C  | D   | E   | F   | G  | 产品编号          |
|------------|----|-------|----|----|----|-----|-----|-----|----|---------------|
| GDQ-Z16-KF | 国标 | 19.1  | 40 | 30 | 28 | 48  | 135 | 154 | 63 | 91330100-0016 |
| GDQ-Z25-KF | 国标 | 25.4  | 50 | 40 | 35 | 58  | 141 | 160 | 63 | 91330200-0025 |
| GDQ-Z40-KF | 国标 | 38.1  | 65 | 40 | 48 | 77  | 178 | 197 | 78 | 91330300-0040 |
| GDQ-Z50-KF | 国标 | 50.8  | 70 | 75 | 66 | 101 | 224 | 244 | 88 | 91330400-0050 |

气动Z型阀-CF


Manual z-valve-CF



| 规格         | 标准 | O.D.C | A    | B  | C  | D   | E   | F   | G  | 产品编号          |
|------------|----|-------|------|----|----|-----|-----|-----|----|---------------|
| GDQ-Z16-CF | 国标 | 19.1  | 54.1 | 34 | 28 | 48  | 135 | 154 | 63 | 91340100-0016 |
| GDQ-Z25-CF | 国标 | 25.4  | 52.8 | 54 | 35 | 58  | 141 | 160 | 63 | 91340200-0025 |
| GDQ-Z35-CF | 国标 | 38.1  | 62.7 | 70 | 48 | 77  | 178 | 197 | 78 | 91340300-0035 |
| GDQ-Z50-CF | 国标 | 50.8  | 90.6 | 86 | 66 | 101 | 224 | 244 | 88 | 91340400-0050 |

GU|手动球阀-KF


GU Manual ball valve KF



| 规格       | A   | B  | C   | D   | 产品编号          |
|----------|-----|----|-----|-----|---------------|
| GU-16-KF | 100 | 30 | 62  | 120 | 91360100-0016 |
| GU-25-KF | 114 | 40 | 75  | 150 | 91360200-0025 |
| GU-40-KF | 165 | 55 | 115 | 200 | 91360300-0040 |
| GU-50-KF | 175 | 75 | 125 | 221 | 91360400-0050 |

电磁真空压差式充气阀-KF


Electromagnetic vacuum differential pressure charging valve-KF



| 规格       | A  | B  | C   | 产品编号          |
|----------|----|----|-----|---------------|
| GYC-JQ16 | 40 | 30 | 160 | 91450100-0016 |
| GYC-JQ25 | 50 | 40 | 170 | 91450200-0025 |
| GYC-JQ40 | 65 | 55 | 187 | 91450300-0040 |
| GYC-JQ50 | 70 | 75 | 203 | 91450400-0050 |

电磁低真空压差式充气阀


Electromagnetic low vacuum differential pressure charging valve



| 规格      | A   | B   | C   | D   | E   | F   | n-h  | 产品编号          |
|---------|-----|-----|-----|-----|-----|-----|------|---------------|
| GIQ-50  | 70  | 110 | 90  | 75  | 55  | 203 | 4-9  | 91460100-0050 |
| GIQ-63  | 88  | 130 | 110 | 95  | 68  | 226 | 4-9  | 91460200-0063 |
| GIQ-80  | 98  | 145 | 125 | 110 | 85  | 260 | 8-9  | 91460300-0080 |
| GIQ-100 | 108 | 165 | 145 | 130 | 105 | 282 | 8-9  | 91460400-0100 |
| GIQ-160 | 138 | 225 | 200 | 180 | 165 | 350 | 8-11 | 91460500-0160 |

电磁低真空压差式充气阀


Electromagnetic low vacuum differential pressure charging valv



| 规格      | A  | B    | C   | D  | E   | 产品编号          |
|---------|----|------|-----|----|-----|---------------|
| DYC-Q16 | 30 | 17.2 | 60  | 72 | 115 | 91470100-0016 |
| DYC-Q25 | 40 | 26.2 | 70  | 76 | 130 | 91470200-0025 |
| DYC-Q32 | 55 | 34.2 | 90  | 85 | 150 | 91470300-0032 |
| DYC-Q40 | 55 | 41.2 | 100 | 90 | 160 | 91470400-0040 |
| DYC-Q50 | 75 | 52.2 | 110 | 95 | 195 | 91470500-0050 |

电磁动挡板阀

Solenoid operated flapper valve




| 规格      | A  | B  | C  | D  | E   | F     | G  | 产品编号          |
|---------|----|----|----|----|-----|-------|----|---------------|
| GDC-J16 | 40 | 30 | 53 | 54 | 67  | 177.5 | 43 | 91490100-0016 |
| GDC-J25 | 50 | 40 | 50 | 54 | 77  | 183   | 43 | 91490200-0025 |
| GDC-J40 | 65 | 55 | 78 | 76 | 103 | 220.5 | 53 | 91490300-0040 |
| GDC-J50 | 70 | 75 | 78 | 78 | 109 | 251.5 | 66 | 91490400-0050 |



直通电磁低真空压差式充气阀

Through solenoid low vacuum differential pressure charging valve



| 规格       | A   | B   | C   | D   | E*NO  | F   | 产品编号          |
|----------|-----|-----|-----|-----|-------|-----|---------------|
| DYC-Q16  | 60  | 45  | 16  | 72  | M6*4  | 75  | 91480100-0016 |
| DYC-Q20  | 65  | 50  | 20  | 76  | M6*4  | 80  | 91480200-0020 |
| DYC-Q25  | 70  | 55  | 25  | 76  | M6*4  | 90  | 91480300-0025 |
| DYC-Q32  | 90  | 70  | 32  | 85  | M8*4  | 100 | 91480400-0032 |
| DYC-Q40  | 100 | 80  | 40  | 90  | M8*4  | 110 | 91480500-0040 |
| DYC-Q50  | 110 | 90  | 50  | 95  | M8*4  | 123 | 91480600-0050 |
| DYC-Q63  | 125 | 110 | 65  | 102 | M8*4  | 147 | 91480700-0063 |
| DYC-Q80  | 145 | 125 | 80  | 112 | M8*4  | 145 | 91480800-0080 |
| DYC-Q100 | 165 | 145 | 100 | 121 | M8*4  | 140 | 91480900-0100 |
| DYC-Q125 | 200 | 175 | 125 | 138 | M10*4 | 185 | 91481000-0125 |
| DYC-Q150 | 220 | 195 | 150 | 145 | M10*5 | 211 | 91481100-0150 |
| DYC-Q160 | 225 | 200 | 160 | 150 | M10*6 | 211 | 91481200-0160 |
| DYC-Q200 | 285 | 260 | 200 | 180 | M10*7 | 240 | 91481300-0200 |

电磁真空带充气阀方形


Electromagnetic vacuum with filling valve square



| 规格        | A*A     | B  | C  | D   | E   | F   | G*NO | 产品编号          |
|-----------|---------|----|----|-----|-----|-----|------|---------------|
| GDC-JQ16A | 48*48   | 16 | 28 | 68  | 176 | 42  | M5*4 | 91500100-0016 |
| GDC-JQ25A | 58*58   | 25 | 35 | 82  | 199 | 55  | M6*4 | 91500200-0025 |
| GDC-JQ32A | 68*68   | 32 | 40 | 92  | 226 | 64  | M6*4 | 91500300-0032 |
| GDC-JQ40A | 80*80   | 40 | 44 | 110 | 245 | 70  | M6*4 | 91500400-0040 |
| GDC-JQ50A | 95*95   | 50 | 56 | 125 | 290 | 90  | M8*4 | 91500500-0050 |
| GDC-JQ65A | 115*115 | 65 | 65 | 135 | 320 | 110 | M8*4 | 91500600-0065 |
| GDC-JQ80A | 140*140 | 80 | 75 | 165 | 367 | 125 | M8*4 | 91500700-0080 |

电磁真空带充气阀-KF


Electromagnetic vacuum with charging valve KF



| 规格          | A  | B  | C   | D   | 产品编号          |
|-------------|----|----|-----|-----|---------------|
| GDC-J16/KF  | 40 | 30 | 191 | 68  | 91510100-0016 |
| GDC-J25/KF  | 50 | 40 | 202 | 82  | 91510200-0025 |
| GDC-J32A/KF | 50 | 55 | 244 | 92  | 91510300-0032 |
| GDC-J40A/KF | 65 | 55 | 275 | 110 | 91510400-0040 |
| GDC-J50A/KF | 80 | 75 | 314 | 125 | 91510500-0050 |

电磁真空带充气阀法兰型


Electromagnetic vacuum with charging valve flange type



| 规格       | A   | B   | C   | D   | E   | F*NO | 产品编号          |
|----------|-----|-----|-----|-----|-----|------|---------------|
| DDC-J50  | 80  | 110 | 90  | 125 | 314 | 9*4  | 91520100-0050 |
| DDC-J65  | 88  | 130 | 110 | 135 | 343 | 9*4  | 91520200-0065 |
| DDC-J80  | 95  | 145 | 125 | 135 | 346 | 9*8  | 91520300-0080 |
| DDC-J100 | 108 | 165 | 145 | 165 | 399 | 9*8  | 91520400-0100 |

电磁真空挡板阀方形


Electromagnetic vacuum baffle valve square



| 规格        | A*A     | B  | C  | D   | E   | F   | G*NO | 产品编号          |
|-----------|---------|----|----|-----|-----|-----|------|---------------|
| GDC-JQ16A | 48*48   | 16 | 28 | 68  | 176 | 42  | M5*4 | 91530100-0016 |
| GDC-JQ25A | 58*58   | 25 | 35 | 82  | 199 | 55  | M6*4 | 91530200-0025 |
| GDC-JQ32A | 68*68   | 32 | 40 | 92  | 226 | 64  | M6*4 | 91530300-0032 |
| GDC-JQ40A | 80*80   | 40 | 44 | 110 | 245 | 70  | M6*4 | 91530400-0040 |
| GDC-JQ50A | 95*95   | 50 | 56 | 125 | 290 | 90  | M8*4 | 91530500-0050 |
| GDC-JQ65A | 115*115 | 65 | 65 | 135 | 320 | 110 | M8*4 | 91530600-0065 |
| GDC-JQ80A | 140*140 | 80 | 75 | 165 | 367 | 125 | M8*4 | 91530700-0080 |

电磁真空挡板阀-KF


Electromagnetic vacuum flapper valve KF



| 规格          | A  | B  | C   | D   | 产品编号          |
|-------------|----|----|-----|-----|---------------|
| GDC-J16/KF  | 40 | 30 | 191 | 68  | 91540100-0016 |
| GDC-J25/KF  | 50 | 40 | 202 | 82  | 91540200-0025 |
| GDC-J32A/KF | 50 | 55 | 244 | 92  | 91540300-0032 |
| GDC-J40A/KF | 65 | 55 | 275 | 110 | 91540400-0040 |
| GDC-J50A/KF | 80 | 75 | 314 | 125 | 91540500-0050 |

电磁真空挡板阀法兰型

Electromagnetic vacuum flapper valve flange type




| 规格       | A   | B   | C   | D   | E   | F*NO | 产品编号          |
|----------|-----|-----|-----|-----|-----|------|---------------|
| GDC-J50  | 80  | 110 | 90  | 125 | 314 | 9*4  | 91550100-0050 |
| GDC-J65  | 88  | 130 | 110 | 135 | 343 | 9*4  | 91550200-0065 |
| GDC-J80  | 95  | 145 | 125 | 135 | 346 | 9*8  | 91550300-0080 |
| GDC-J100 | 108 | 165 | 145 | 165 | 399 | 9*8  | 91550400-0100 |



手动隔膜阀焊接型


Manual diaphragm valve welding type



| 规格    | A  | B  | C   | D   | E   | F   | 产品编号          |
|-------|----|----|-----|-----|-----|-----|---------------|
| GM-10 | 17 | 10 | 89  | 99  | 65  | 75  | 91560100-0016 |
| GM-25 | 32 | 25 | 110 | 123 | 80  | 120 | 91560200-0025 |
| GM-40 | 45 | 40 | 139 | 159 | 120 | 150 | 91560300-0040 |
| GM-50 | 57 | 50 | 159 | 186 | 120 | 180 | 91560400-0050 |

手动隔膜阀-KF


Manual diaphragm valve - KF



| 规格    | A  | B    | C   | D   | E   | F   | 产品编号          |
|-------|----|------|-----|-----|-----|-----|---------------|
| GM-10 | 30 | 12.2 | 89  | 99  | 65  | 75  | 91570100-0010 |
| GM-16 | 30 | 17.2 | 89  | 99  | 80  | 108 | 91570200-0016 |
| GM-20 | 40 | 22.2 | 91  | 102 | 80  | 118 | 91570300-0020 |
| GM-25 | 40 | 26.2 | 110 | 123 | 80  | 120 | 91570400-0025 |
| GM-32 | 55 | 34.2 | 129 | 138 | 80  | 146 | 91570500-0032 |
| GM-40 | 55 | 41.2 | 139 | 159 | 120 | 150 | 91570600-0040 |
| GM-50 | 75 | 52.2 | 159 | 186 | 120 | 180 | 91570700-0050 |

手动隔膜阀法兰型


Manual diaphragm valve flange type



| 规格    | A   | B  | C   | D   | E   | F   | G*NO  | 产品编号          |
|-------|-----|----|-----|-----|-----|-----|-------|---------------|
| GM-10 | 55  | 40 | 89  | 99  | 65  | 75  | 6.6*4 | 91580100-0010 |
| GM-16 | 60  | 45 | 89  | 99  | 80  | 108 | 6.6*4 | 91580200-0016 |
| GM-20 | 65  | 50 | 91  | 102 | 80  | 118 | 6.6*4 | 91580300-0020 |
| GM-25 | 70  | 55 | 110 | 123 | 80  | 120 | 6.6*4 | 91580400-0025 |
| GM-32 | 90  | 70 | 129 | 138 | 80  | 146 | 9*4   | 91580500-0032 |
| GM-40 | 100 | 80 | 139 | 159 | 120 | 150 | 9*4   | 91580600-0040 |
| GM-50 | 110 | 90 | 159 | 186 | 120 | 180 | 9*4   | 91580700-0050 |

真空微调阀


Vacuum fine tuning valve



| 规格    | 通径  | 连接口 |     | A  | B  | C  | D  | E  | F | G  | 产品编号          |
|-------|-----|-----|-----|----|----|----|----|----|---|----|---------------|
| GW-J2 | 0.8 | KF  | KF  | 90 | 30 | 30 | 28 | 45 | - | 43 | 91590100-0008 |
| GW-J2 | 0.8 | KF  | 管接头 | 90 | 30 | 30 | 28 | 45 | 6 | 43 | 91590200-0008 |
| GW-J4 | 1.2 | KF  | KF  | 93 | 30 | 30 | 28 | 45 | - | 53 | 91590300-0012 |
| GW-J4 | 1.2 | KF  | 管接头 | 93 | 30 | 30 | 28 | 45 | 6 | 66 | 91590400-0012 |

手动三通球阀-KF


Manual three way ball valve KF



| 规格       | A   | B   | C  | 产品编号          |
|----------|-----|-----|----|---------------|
| GU-25-KF | 110 | 50  | 55 | 91600100-0025 |
| GU-40-KF | 160 | 68  | 80 | 91600200-0040 |
| GU-50-KF | 165 | 120 | 83 | 91600300-0050 |

手动三通挡板阀


Manual three way baffle valve



| 规格        | O.D.  | A  | B  | C   | D   | E  | 产品编号          |
|-----------|-------|----|----|-----|-----|----|---------------|
| GD-J16-KF | 19.05 | 40 | 30 | 143 | 127 | 63 | 91610100-0016 |
| GD-J25-KF | 25.4  | 50 | 40 | 153 | 137 | 63 | 91610200-0025 |
| GD-J40-KF | 38.1  | 65 | 55 | 186 | 167 | 78 | 91610300-0040 |
| GD-J50-KF | 50.8  | 70 | 75 | 211 | 191 | 88 | 91610400-0050 |

CF全金属阀门


CF all metal valve



| 规格        | O.D.  | A    | B  | C   | D   | E    | 产品编号          |
|-----------|-------|------|----|-----|-----|------|---------------|
| GD-J16-CR | 19.05 | 40.2 | 34 | 108 | 127 | 42   | 91620100-0016 |
| GD-J25-CR | 25.4  | 51.2 | 54 | 134 | 153 | 42   | 91620200-0025 |
| GD-J35-CR | 38.1  | 66.7 | 70 | 167 | 186 | 54   | 91620300-0035 |
| GD-J50-CR | 50.8  | 74.2 | 86 | 181 | 201 | 63.5 | 91620400-0050 |

手动插板阀

Manual gate valve




| 规格      | A   | B   | C   | D   | E   | F  | G  | H   | I  | J   | K  | 产品编号          |
|---------|-----|-----|-----|-----|-----|----|----|-----|----|-----|----|---------------|
| CC-63B  | 110 | 130 | 52  | 173 | 378 | 64 | 34 | 153 | 56 | 100 | 64 | 91630100-0063 |
| CC-80B  | 130 | 140 | 57  | 228 | 462 | 75 | 36 | 177 | 69 | 100 | 75 | 91630200-0080 |
| CC-100B | 151 | 178 | 75  | 228 | 487 | 75 | 36 | 184 | 69 | 100 | 75 | 91630300-0100 |
| CC-160B | 201 | 228 | 96  | 302 | 605 | 75 | 41 | 207 | 69 | 100 | 75 | 91630400-0160 |
| CC-200B | 248 | 276 | 120 | 380 | 714 | 75 | 42 | 214 | 69 | 125 | 75 | 91630500-0200 |
| CC-250B | 310 | 342 | 146 | 463 | 875 | 80 | 48 | 266 | 70 | 125 | 80 | 91630600-0250 |





气动插板阀


Pneumatic gate valve



| 规格       | A   | B   | C   | D   | E   | F  | G  | H   | I   | J   | K  | L  | 产品编号          |
|----------|-----|-----|-----|-----|-----|----|----|-----|-----|-----|----|----|---------------|
| CCQ-63B  | 110 | 130 | 52  | 173 | 366 | 64 | 34 | 141 | 64  | 72  | 64 | 61 | 91640100-0063 |
| CCQ-80B  | 130 | 140 | 57  | 228 | 447 | 75 | 36 | 162 | 77  | 84  | 73 | 68 | 91640200-0080 |
| CCQ-100B | 151 | 178 | 75  | 228 | 482 | 75 | 36 | 179 | 77  | 84  | 73 | 68 | 91640300-0100 |
| CCQ-160B | 201 | 228 | 96  | 302 | 613 | 75 | 41 | 215 | 77  | 84  | 83 | 68 | 91640400-0160 |
| CCQ-200B | 248 | 276 | 120 | 380 | 730 | 75 | 42 | 230 | 98  | 104 | 93 | 77 | 91640500-0200 |
| CCQ-250B | 310 | 342 | 146 | 463 | 812 | 80 | 48 | 203 | 117 | 124 | 98 | 86 | 91640600-0250 |

电动插板阀


Electric gate valve



| 规格       | A   | B   | C   | D   | E   | F  | G  | H   | I  | J   | K  | L  | M   | N   | 产品编号          |
|----------|-----|-----|-----|-----|-----|----|----|-----|----|-----|----|----|-----|-----|---------------|
| CCD-100B | 151 | 178 | 75  | 228 | 538 | 75 | 36 | 235 | 69 | 100 | 75 | 86 | 108 | 105 | 91650100-0100 |
| CCD-160B | 201 | 228 | 96  | 302 | 658 | 75 | 41 | 261 | 70 | 100 | 75 | 86 | 108 | 114 | 91650200-0160 |
| CCD-200B | 248 | 276 | 120 | 380 | 771 | 75 | 42 | 271 | 69 | 100 | 75 | 92 | 108 | 119 | 91650300-0200 |
| CCD-250B | 310 | 342 | 146 | 463 | 880 | 80 | 48 | 271 | 69 | 100 | 80 | 92 | 110 | 119 | 91650400-0250 |

手动放气阀


Manual air release valve



| 规格     | A  | B    | C  | D  | 产品编号          |
|--------|----|------|----|----|---------------|
| GD-Q16 | 30 | 17.2 | 26 | 39 | 91660100-0016 |
| GD-Q25 | 40 | 26.2 | 26 | 39 | 91660200-0025 |
| GD-Q40 | 55 | 41.2 | 26 | 39 | 91660300-0040 |

真空推拉阀

Manual push-pull valve




螺纹选配：M10\*1.5、M8\*1.25、M6\*1

| 规格   | A  | B   | C     | D  | 产品编号          |
|------|----|-----|-------|----|---------------|
| TL30 | 38 | 227 | 40/55 | 30 | 91670100-0030 |
| TL32 | 45 | 227 | 40/55 | 32 | 91670200-0032 |
| TL33 | 45 | 227 | 40/55 | 33 | 91670300-0033 |
| TL34 | 45 | 227 | 40/55 | 34 | 91670400-0034 |
| TL35 | 45 | 227 | 40/55 | 35 | 91670500-0035 |
| TL36 | 45 | 227 | 40/55 | 36 | 91670600-0036 |
| TL40 | 48 | 227 | 40/55 | 40 | 91670700-0040 |


# 电磁高真空挡板阀5型

Electromagnetic high vacuum flapper valve type 5



# 真空腔体系列

Vacuum chamber series





航插和电极定制

Aerial insertion and electrode customization

营造国际品牌/构筑百年企业  
Construct international brand, build  
hundred years enterprise.

正拓阀门  
ZHENG TUO VALVE



- ✓ 做工精美
- ✓ 合理价格
- ✓ 品质保证